

Everly Collection
1 Light Pendant | Nickel
42141NICS (Brushed Nickel)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Ordering Information

Product ID	42141NICS
Finish	Brushed Nickel
Available Finishes	CH, NI, OZ, OZ
Collection	Everly Collection

Dimensions

Base Backplate	4.75 DIA
Chain/Stem Length	36.00"
Weight	5.50 LBS

Specifications

Material	Glass
Glass Description	Clear Seeded

Electrical

Voltage	120V
Lead Wire Length	63.00"

Qualifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

Max Stem Tilt	90 Degrees
---------------	------------

Primary Lamping

Light Source	Incandescent
Lamp Included	Not Included
Number of Lights/LEDs	1
Max or Nominal Watt	100W
Socket Wire	105
Socket Type	Medium
Lamp Type	A19

Dimensions

Height	15.25"
Overall Height	54.00"
Width	10.50"

Alternate Lamps

Lamp Included	Bulb Listing	Light Source	Max Wattage/Range	Bulb Product ID	Dimming
No	Alternate	INCA	60W	4071CLR	

Everly Collection
1 Light Pendant | OZ
42141OZCS (Olde Bronze)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Ordering Information

Product ID	42141OZCS
Finish	Olde Bronze
Available Finishes	CH, NI, OZ, OZ
Collection	Everly Collection

Dimensions

Base Backplate	4.75 DIA
Chain/Stem Length	36.00"
Weight	5.50 LBS

Specifications

Material	Glass
Glass Description	Clear Seeded

Electrical

Voltage	120V
Lead Wire Length	63.00"

Qualifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

Max Stem Tilt	90 Degrees
---------------	------------

Primary Lamping

Light Source	Incandescent
Lamp Included	Not Included
Number of Lights/LEDs	1
Max or Nominal Watt	100W
Socket Wire	105
Socket Type	Medium
Lamp Type	A19

Dimensions

Height	15.25"
Overall Height	54.00"
Width	10.50"

Alternate Lamps

Lamp Included	Bulb Listing	Light Source	Max Wattage/Range	Bulb Product ID	Dimming
No	Alternate	INCA	60W	4071CLR	

Notes:

- Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.