12V LED 3W 10 Deg Spot 27K AZT

16000AZT27

(Textured Architectural Bronze)	Location:	
	Ordering Informa	tion
	Product ID	16000AZT27
	Finish	Textured Architectural Bronz
	Available Finishes	AZT, AZT, BBR, BBR, BE, BE, BE, BKT



Dimensions

Height	3.75"
Length	3.00"
Width	2.00"

ח	im	ρr	าด	in	ns

Project Name: _

0.55 LBS Weight

Photometrics

Kelvin Temperature	2700K
Color Rendering Index	80

Specifications

Material	Aluminum
Glass Description	10 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	1
Max or Nominal Watt	3W

12 V LED 3W 10 Deg Spot 30K AZT

16000AZT30 (Textured Architectural Bronze)



Dimensions

Height	3.75"
Length	3.00"
Width	2.00"

Project Name:
Location:
Гуре:
Qty:
Comments:

Ordering Information

Product ID	16000AZT30
Finish	Textured Architectural Bronze
Available Finishes	AZT, AZT, BBR, BBR, BE, BE, BE, BKT

Dimensions

W	eight	0.55 LBS
	5 5	

Photometrics

Kelvin Temperature	3000K
Color Rendering Index	80

Specifications

Material	Aluminum
Glass Description	10 Beam Spread Optic

Electrical

Voltage	12V
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Warrantv	www.kichler.com/warrantv
Expected Life Span	40000 Hours
Safety Rated	Wet

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	1
Max or Nominal Watt	3W
Lamp Type	INTEGRATED



12V LED 3W 10 Deg Spot 27K BBR

16000BBR27 (Bronzed Brass)

Project Name:	
Location:	
Туре:	
Qty:	
Comments:	

Dimensions

Height	3.75"
Length	3.00"
Width	2.00"

Ordering Information

Product ID	16000BBR27
Finish	Bronzed Brass
Available Finishes	AZT, AZT, BBR, BBR, BE,

Dimensions

Photometrics

Kelvin Temperature	2700K
Color Rendering Index	80

Specifications

Material	Brass
Glass Description	10 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	1
Max or Nominal Watt	3W



12V LED 3W 10 Deg Spot 30K BBR

16000BBR30 (Bronzed Brass)

Project Name:	
Location:	
Туре:	
Qty:	
Comments:	



Dimensions

Height	3.75"
Length	3.00"
Width	2.00"

Ordoring	Inform	ation
Ordering		aliui

Product ID	16000BBR30
Finish	Bronzed Brass
Available Finishes	AZT, AZT, BBR, BBR, BE,

Dimensions

Weight 0.55 LBS

Photometrics

Kelvin Temperature	3000K	_
Color Rendering Index	80	

Specifications

Material	Brass
Glass Description	10 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warrantv	www.kichler.com/warrantv

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	1
Max or Nominal Watt	3W
Lamp Type	INTEGRATED



12V LED 3W 10 Deg Spot 27K BE

16000BKT27 (Beach)

Project Name:	
Location:	
Туре:	
Otv.	
Comments:	



Dimensions

Height	3.75"
Length	3.00"
Width	2.00"

O	l	l £	
1 110	IATINA	Intorm	ISTIAN
-	lering		ialiori

Product ID	16000BKT27
Finish	Beach
Available Finishes	AZT, AZT, BBR, BBR, BE, BE_BE_BKT

Dimensions

Photometrics

Kelvin Temperature	2700K
Color Rendering Index	80

Specifications

Material	Aluminum
Glass Description	10 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	1
Max or Nominal Watt	3W



12V LED 3W 10 Deg Spot 30K BKT

16000BKT30 (Textured Black)



Dimensions

Height	3.75"
Length	3.00"
Width	2.00"

Project Name:	
Location:	
Туре:	
Qty:	
Comments:	

Ordering Information

Product ID	16000BKT30
Finish	Textured Black
Available Finishes	AZT, AZT, BBR, BBR, BE, BE, BE, BKT

Dimensions

Weight	0.55 LBS

Photometrics

Kelvin Temperature	3000K
Color Rendering Index	80

Specifications

Material	Aluminum
Glass Description	10 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	1
Max or Nominal Watt	3W
Lamp Type	INTEGRATED



