

12V LED 3W 35 Deg Flood 27K AZT
16001AZT27 (Textured Architectural Bronze)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	3.75"
Length	3.00"
Width	2.00"

Ordering Information

Product ID	16001AZT27
Finish	Textured Architectural Bronze
Available Finishes	AZT, AZT, BBR, BBR, BE, BE, BKT, BKT, WHT, WHT

Dimensions

Weight	0.55 LBS
--------	----------

Photometrics

Kelvin Temperature	2700K
Color Rendering Index	80

Specifications

Material	Aluminum
Glass Description	35 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	1
Max or Nominal Watt	3W

12V LED 3W 35 Deg Flood 30K AZT
16001AZT30 (Textured Architectural Bronze)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	3.75"
Length	3.00"
Width	2.00"

Ordering Information

Product ID	16001AZT30
Finish	Textured Architectural Bronze
Available Finishes	AZT, AZT, BBR, BBR, BE, BE, BKT, BKT, WHT, WHT

Dimensions

Weight	0.55 LBS
--------	----------

Photometrics

Kelvin Temperature	3000K
Color Rendering Index	80

Specifications

Material	Aluminum
Glass Description	35 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	1
Max or Nominal Watt	3W
Lamp Type	INTEGRATED

12V LED 3W 35 Deg Flood 27K BBR
16001BBR27 (Bronzed Brass)



Dimensions

Height	3.75"
Length	3.00"
Width	2.00"

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Ordering Information

Product ID	16001BBR27
Finish	Bronzed Brass
Available Finishes	AZT, AZT, BBR, BBR, BE, BKT, BKT, WHT, WHT

Dimensions

Weight	0.55 LBS
--------	----------

Photometrics

Kelvin Temperature	2700K
Color Rendering Index	80

Specifications

Material	Brass
Glass Description	35 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	1
Max or Nominal Watt	3W

12V LED 3W 35 Deg Flood 30K BBR
16001BBR30 (Bronzed Brass)



Dimensions

Height	3.75"
Length	3.00"
Width	2.00"

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Ordering Information

Product ID	16001BBR30
Finish	Bronzed Brass
Available Finishes	AZT, AZT, BBR, BBR, BE, BE, BKT, BKT, WHT, WHT

Dimensions

Weight	0.55 LBS
--------	----------

Photometrics

Kelvin Temperature	3000K
Color Rendering Index	80

Specifications

Material	Brass
Glass Description	35 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	1
Max or Nominal Watt	3W

12V LED 3W 35 Deg Flood 27K BKT
16001BKT27 (Textured Black)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	3.75"
Length	3.00"
Width	2.00"

Ordering Information

Product ID	16001BKT27
Finish	Textured Black
Available Finishes	AZT, AZT, BBR, BBR, BE, BE, BKT, BKT, WHT, WHT

Dimensions

Weight	0.55 LBS
--------	----------

Photometrics

Kelvin Temperature	2700K
Color Rendering Index	80

Specifications

Material	Aluminum
Glass Description	35 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	1
Max or Nominal Watt	3W

12V LED 3W 35 Deg Flood 30K BKT
16001BKT30 (Textured Black)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	3.75"
Length	3.00"
Width	2.00"

Ordering Information

Product ID	16001BKT30
Finish	Textured Black
Available Finishes	AZT, AZT, BBR, BBR, BE, BE, BKT, BKT, WHT, WHT

Dimensions

Weight	0.55 LBS
--------	----------

Photometrics

Kelvin Temperature	3000K
Color Rendering Index	80

Specifications

Material	Aluminum
Glass Description	35 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	1
Max or Nominal Watt	3W

12V LED 3W 35 Deg Flood 27K
16001WHT27 (Textured White)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	3.75"
Length	3.00"
Width	2.00"

Ordering Information

Product ID	16001WHT27
Finish	Textured White
Available Finishes	AZT, AZT, BBR, BBR, BE, BKT, BKT, WHT, WHT

Dimensions

Weight	0.55 LBS
--------	----------

Photometrics

Kelvin Temperature	2700K
Color Rendering Index	80

Specifications

Material	Aluminum
----------	----------

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	1
Max or Nominal Watt	3W

12V LED 3W 35 Deg Flood 30K
16001WHT30 (Textured White)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	3.75"
Length	3.00"
Width	2.00"

Ordering Information

Product ID	16001WHT30
Finish	Textured White
Available Finishes	AZT, AZT, BBR, BBR, BE, BKT, BKT, WHT, WHT

Dimensions

Weight	0.55 LBS
--------	----------

Photometrics

Kelvin Temperature	3000K
Color Rendering Index	80

Specifications

Material	Aluminum
Glass Description	35 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	1
Max or Nominal Watt	3W