

12V LED 6.5W 35 Deg Flood 27K AZT
16007AZT27 (Textured Architectural Bronze)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	4.75"
Length	4.75"
Width	3.00"

Ordering Information

Product ID	16007AZT27
Finish	Textured Architectural Bronze
Available Finishes	AZT, AZT, BBR, BBR, BE, BE, BKT, BKT, WHT, WHT

Dimensions

Weight	1.15 LBS
--------	----------

Photometrics

Kelvin Temperature	2700K
Color Rendering Index	80

Specifications

Material	Aluminum
Glass Description	35 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	5
Max or Nominal Watt	6.5W

12V LED 6.5W 35 Deg Flood 30K AZT
16007AZT30 (Textured Architectural Bronze)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	4.75"
Length	4.75"
Width	3.00"

Ordering Information

Product ID	16007AZT30
Finish	Textured Architectural Bronze
Available Finishes	AZT, AZT, BBR, BBR, BE, BE, BKT, BKT, WHT, WHT

Dimensions

Weight	1.15 LBS
--------	----------

Photometrics

Kelvin Temperature	3000K
Color Rendering Index	80

Specifications

Material	Aluminum
Glass Description	35 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	5
Max or Nominal Watt	6.5W

12V LED 6.5W 35 Deg Flood 27K BBR
16007BBR27 (Bronzed Brass)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	4.75"
Length	4.75"
Width	3.00"

Ordering Information

Product ID	16007BBR27
Finish	Bronzed Brass
Available Finishes	AZT, AZT, BBR, BBR, BE, BE, BKT, BKT, WHT, WHT

Dimensions

Weight	1.15 LBS
--------	----------

Photometrics

Kelvin Temperature	2700K
Color Rendering Index	80

Specifications

Material	Brass
Glass Description	35 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	5
Max or Nominal Watt	6.5W

12V LED 6.5W 35 Deg Flood 30K BBR
16007BBR30 (Bronzed Brass)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	4.75"
Length	4.75"
Width	3.00"

Ordering Information

Product ID	16007BBR30
Finish	Bronzed Brass
Available Finishes	AZT, AZT, BBR, BBR, BKT, BKT, WHT, WHT

Dimensions

Weight	1.15 LBS
--------	----------

Photometrics

Kelvin Temperature	3000K
Color Rendering Index	80

Specifications

Material	Brass
Glass Description	35 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	5
Max or Nominal Watt	6.5W

12V LED 6.5W 35 Deg Flood 27K BKT
16007BKT27 (Textured Black)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	4.75"
Length	4.75"
Width	3.00"

Ordering Information

Product ID	16007BKT27
Finish	Textured Black
Available Finishes	AZT, AZT, BBR, BBR, BKT, BKT, WHT, WHT

Dimensions

Weight	1.15 LBS
--------	----------

Photometrics

Kelvin Temperature	2700K
Color Rendering Index	80

Specifications

Material	Aluminum
Glass Description	35 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	5
Max or Nominal Watt	6.5W

12V LED 6.5W 35 Deg Flood 30K BKT
16007BKT30 (Textured Black)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	4.75"
Length	4.75"
Width	3.00"

Ordering Information

Product ID	16007BKT30
Finish	Textured Black
Available Finishes	AZT, AZT, BBR, BBR, BE, BE, BKT, BKT, WHT, WHT

Dimensions

Weight	1.15 LBS
--------	----------

Photometrics

Kelvin Temperature	3000K
Color Rendering Index	80

Specifications

Material	Aluminum
Glass Description	35 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	5
Max or Nominal Watt	6.5W

12V LED 6.5W 35 Deg Flood 27K WHT
16007WHT27 (Textured White)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	4.75"
Length	4.75"
Width	3.00"

Ordering Information

Product ID	16007WHT27
Finish	Textured White
Available Finishes	AZT, AZT, BBR, BBR, BKT, BKT, WHT, WHT

Dimensions

Weight	1.15 LBS
--------	----------

Photometrics

Kelvin Temperature	2700K
Color Rendering Index	80

Specifications

Material	Aluminum
Glass Description	35 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	5
Max or Nominal Watt	6.5W

12V LED 6.5W 35 Deg Flood 30K WHT
16007WHT30 (Textured White)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	4.75"
Length	4.75"
Width	3.00"

Ordering Information

Product ID	16007WHT30
Finish	Textured White
Available Finishes	AZT, AZT, BBR, BBR, BKT, BKT, WHT, WHT

Dimensions

Weight	1.15 LBS
--------	----------

Photometrics

Kelvin Temperature	3000K
Color Rendering Index	80

Specifications

Material	Aluminum
Glass Description	35 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	5
Max or Nominal Watt	6.5W