

12V LED 6.5W 60 Deg W FL 27K AZT
16008AZT27 (Textured Architectural Bronze)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	4.75"
Length	4.75"
Width	3.00"

Ordering Information

Product ID	16008AZT27
Finish	Textured Architectural Bronze
Available Finishes	AZT, AZT, BBR, BBR, BE, BKT, BKT

Dimensions

Weight	1.15 LBS
--------	----------

Photometrics

Kelvin Temperature	2700K
Color Rendering Index	80

Specifications

Material	Aluminum
Glass Description	60 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	5
Max or Nominal Watt	6.5W

12V LED 6.5W 60 Deg Wide Flood AZT
16008AZT30 (Textured Architectural Bronze)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	4.75"
Length	4.75"
Width	3.00"

Ordering Information

Product ID	16008AZT30
Finish	Textured Architectural Bronze
Available Finishes	AZT, AZT, BBR, BBR, BE, BKT, BKT

Dimensions

Weight	1.15 LBS
--------	----------

Photometrics

Kelvin Temperature	3000K
Color Rendering Index	80

Specifications

Material	Aluminum
Glass Description	60 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	5
Max or Nominal Watt	6.5W

12V LED 6.5W 60 Deg W FL 27K BBR
16008BBR27 (Bronzed Brass)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	4.75"
Length	4.75"
Width	3.00"

Ordering Information

Product ID	16008BBR27
Finish	Bronzed Brass
Available Finishes	AZT, AZT, BBR, BBR, BE, BKT, BKT

Dimensions

Weight	1.15 LBS
--------	----------

Photometrics

Kelvin Temperature	2700K
Color Rendering Index	80

Specifications

Material	Brass
Glass Description	60 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	5
Max or Nominal Watt	6.5W

12V LED 6.5W 60 Deg Wide Flood BBR
16008BBR30 (Bronzed Brass)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	4.75"
Length	4.75"
Width	3.00"

Ordering Information

Product ID	16008BBR30
Finish	Bronzed Brass
Available Finishes	AZT, AZT, BBR, BBR, BE, BKT, BKT

Dimensions

Weight	1.15 LBS
--------	----------

Photometrics

Kelvin Temperature	3000K
Color Rendering Index	80

Specifications

Material	Brass
Glass Description	60 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	5
Max or Nominal Watt	6.5W

12V LED 6.5W 60 Deg W FL 27K BKT
16008BKT27 (Textured Black)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	4.75"
Length	4.75"
Width	3.00"

Ordering Information

Product ID	16008BKT27
Finish	Textured Black
Available Finishes	AZT, AZT, BBR, BBR, BE, BKT, BKT

Dimensions

Weight	1.15 LBS
--------	----------

Photometrics

Kelvin Temperature	2700K
Color Rendering Index	80

Specifications

Material	Aluminum
Glass Description	60 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	5
Max or Nominal Watt	6.5W

12V LED 6.5W 60 Deg Wide Flood BKT
16008BKT30 (Textured Black)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	4.75"
Length	4.75"
Width	3.00"

Ordering Information

Product ID	16008BKT30
Finish	Textured Black
Available Finishes	AZT, AZT, BBR, BBR, BE, BKT, BKT

Dimensions

Weight	1.15 LBS
--------	----------

Photometrics

Kelvin Temperature	3000K
Color Rendering Index	80

Specifications

Material	Aluminum
Glass Description	60 Beam Spread Optic

Electrical

Voltage	12VAC/VDC
Operating Voltage Range	9-15 VAC/VDC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	5
Max or Nominal Watt	6.5W