

120V LED 19.5W 35 Deg FI 30K AZT
16203AZT30 (Textured Architectural Bronze)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	5.50"
Length	6.50"
Width	4.50"

Ordering Information

Product ID	16203AZT30
Finish	Textured Architectural Bronze
Available Finishes	AZT, AZT, BBR, BBR, WHT, WHT

Dimensions

Weight	2.00 LBS
--------	----------

Photometrics

Kelvin Temperature	3000K
Color Rendering Index	80

Specifications

Material	Aluminum
Glass Description	35 Beam Spread Optic

Electrical

Voltage	120VAC
Operating Voltage Range	108-132 VAC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	8
Max or Nominal Watt	19.5W

120V LED 19.5W 35 Deg FI 42K AZT
16203AZT42 (Textured Architectural Bronze)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	5.50"
Length	6.50"
Width	4.50"

Ordering Information

Product ID	16203AZT42
Finish	Textured Architectural Bronze
Available Finishes	AZT, AZT, BBR, BBR, WHT, WHT

Dimensions

Weight	2.00 LBS
--------	----------

Photometrics

Kelvin Temperature	4250K
Color Rendering Index	75

Specifications

Material	Aluminum
Glass Description	35 Beam Spread Optic

Electrical

Voltage	120VAC
Operating Voltage Range	108-132 VAC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	8
Max or Nominal Watt	19.5W

120V LED 19.5W 35 Deg FL 30K BBR
16203BBR30 (Bronzed Brass)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	5.50"
Length	6.50"
Width	4.50"

Ordering Information

Product ID	16203BBR30
Finish	Bronzed Brass
Available Finishes	AZT, AZT, BBR, BBR, WHT, WHT

Dimensions

Weight	2.00 LBS
--------	----------

Photometrics

Kelvin Temperature	3000K
Color Rendering Index	80

Specifications

Material	Brass
Glass Description	35 Beam Spread Optic

Electrical

Voltage	120VAC
Operating Voltage Range	108-132 VAC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	8
Max or Nominal Watt	19.5W

120V LED 19.5W 35 Deg FL 42K BBR
16203BBR42 (Bronzed Brass)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	5.50"
Length	6.50"
Width	4.50"

Ordering Information

Product ID	16203BBR42
Finish	Bronzed Brass
Available Finishes	AZT, AZT, BBR, BBR, WHT, WHT

Dimensions

Weight	2.00 LBS
--------	----------

Photometrics

Kelvin Temperature	4250K
Color Rendering Index	75

Specifications

Material	Brass
Glass Description	35 Beam Spread Optic

Electrical

Voltage	120VAC
Operating Voltage Range	108-132 VAC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	8
Max or Nominal Watt	19.5W

120V LED 19.5W 35 Deg FL 3000K
16203WHT30 (Textured White)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	5.50"
Length	6.50"
Width	4.50"

Ordering Information

Product ID	16203WHT30
Finish	Textured White
Available Finishes	AZT, AZT, BBR, BBR, WHT, WHT

Dimensions

Weight	2.00 LBS
--------	----------

Photometrics

Kelvin Temperature	3000K
Color Rendering Index	80

Specifications

Material	Aluminum
Glass Description	35 Beam Spread Optics

Electrical

Voltage	120VAC
Operating Voltage Range	108-132 VAC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	8
Max or Nominal Watt	19.5W

120V LED 19.5W 35 Deg FL 4250K
16203WHT42 (Textured White)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions

Height	5.50"
Length	6.50"
Width	4.50"

Ordering Information

Product ID	16203WHT42
Finish	Textured White
Available Finishes	AZT, AZT, BBR, BBR, WHT, WHT

Dimensions

Weight	2.00 LBS
--------	----------

Photometrics

Kelvin Temperature	4250K
Color Rendering Index	75

Specifications

Material	Aluminum
Glass Description	35 Beam Spread Optic

Electrical

Voltage	120VAC
Operating Voltage Range	108-132 VAC

Qualifications

Safety Rated	Wet
Expected Life Span	40000 Hours
Warranty	www.kichler.com/warranty

Primary Lamping

Light Source	LED
Lamp Included	Integrated
Number of Lights/LEDs	8
Max or Nominal Watt	19.5W