3" Outdoor Post in Black

9501BK (Black (Painted))

	120000000000000000000000000000000000000
	100000000000000000000000000000000000000
	700000000000000000000000000000000000000
0 000	
The second second	
The second second second second	
THE RESERVE TO SERVE THE PARTY OF THE PARTY	Special Control of the Control of th
	100000000000000000000000000000000000000
	10000
	100000
	1000000

Project Name:	
Location:	
Туре:	
Qty:	
Comments:	

Ordering Information

Product ID	9501BK
Finish	Black (Painted)
Available Finishes	BK, WH

Specifications

Material	Aluminum

Qualifications

Safety Rated	Not Required
Warranty	www.kichler.com/warranty

Primary Lamping

Lamp Included Not Included





3" Outdoor Post in Black

9501BK (Black (Painted))

Project Name:	
Location:	
Туре:	
Qty:	
Comments:	



Dimensions


Height	84.00"	
Width	3.00"	

Kichler 7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010 Toll free: 866.558.5706 or kichler.com

I) Information provided is subject to change without notice.

All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as





3" Outdoor Post in White

9501WH (White)


Project Name:	
ocation:	
Type:	
Qty:	
Comments:	

Туре:	
Qty:	
Comments:	
Ordering Informa	ation
Product ID	9501WH
Finish	White
Available Finishes	BK, WH
Specifications	
Material	Aluminum
Qualifications	
Safety Rated	Not Required
Warranty	www.kichler.com/warranty
Primary Lamping)
Lamp Included	Not Included



Kichler 7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010 Toll free: 866.558.5706 or kichler.com

I) Information provided is subject to change without notice.
 All values are design or typical values when measured under laboratory conditions.





3" Outdoor Post in White

9501WH (White)

Project Name:	
Location:	
Туре:	
Qty:	
Comments:	



Dimensions

Height	84.00"	
Width	3.00"	

Kichler 7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010 Toll free: 866.558.5706 or kichler.com

I) Information provided is subject to change without notice.

All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as

