
300016OBB (Oil Brushed Bronze)

#### **Dimensions**



Downrod	Α	В	С	D
1.00 OD X 4.00	16.75	10.25	11.00	5.50

#### **Available Finishes**

Finish Fixture	Glass	Blade 1	Blade 2
----------------	-------	---------	---------

Project Name:	
Location:	
Туре:	
Qty:	
Comments:	

#### **Product Information**

Product ID	300016OBB
Finish	Oil Brushed Bronze
Blade Finish	Walnut/Cherry
Collection	Canfield Select Collection

#### Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	175	5917	85	.59	69
Med	132	4332	116	.44	37
Low	65	2699	196	.27	14

### **Specifications**

Opcomodiono	
Number of Blades	5
Blades Included	Yes
Blade Pitch	16 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 4.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 20MM
Motor Type	AC

### Downlight

Downlight Included	Yes
Light Source	Fluorescent
Downlight Bulb Included	Included
Downlight Bulb Type	CFL
Number of Lights/LEDs	2
Max or Nominal Watt	13W
Glass Description	Cased Opal
Optional Light Kit Available	No

# Safety Listings & Certifications




7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010 Toll free: 866.558.5706 or kichler.com

#### Notes

Information provided is subject to change without notice.

All values are design or typical values when measured under laboratory conditions.





300016OBB (Oil Brushed Bronze)

Finish	Fixture	Glass	Blade 1	Blade 2
Oil Brushed Bronze	300016OBB	CASED OPAL	WALNUT	CHERRY
Brushed Stainless Steel	300016BSS	CASED OPAL	MEDIUM OAK	DARK OAK

## **Control Options**

Product ID	Descr
337001WH	Universal Remote Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
371042MUL	56K Wall Control System Basic


Dry
www.kichler.com/warranty
The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
120V 60Hz AC
23.43 LBS
1

Project Name: \_



300016OBB (Oil Brushed Bronze)

#### **Dimensions**



Downrod	Α	В	С	D
1.00 OD X 4.00	16.75	10.25	11.00	5.50

#### **Available Finishes**

Finish Fixture	Glass	Blade 1	Blade 2	
----------------	-------	---------	---------	--

Project Name:	
Location:	
Туре:	
Qty:	
Comments:	

#### **Product Information**

Product ID	300016OBB
Finish	Oil Brushed Bronze
Blade Finish	Walnut/Cherry
Collection	Canfield Select Collection

#### Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	175	5917	85	.59	69
Med	132	4332	116	.44	37
Low	65	2699	196	.27	14

### **Specifications**

Opcomodiono	
Number of Blades	5
Blades Included	Yes
Blade Pitch	16 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 4.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 20MM
Motor Type	AC

### Downlight

Downlight Included	Yes
Light Source	Fluorescent
Downlight Bulb Included	Included
Downlight Bulb Type	CFL
Number of Lights/LEDs	2
Max or Nominal Watt	13W
Glass Description	Cased Opal
Optional Light Kit Available	No

# Safety Listings & Certifications




7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010 Toll free: 866.558.5706 or kichler.com

#### Notes

Information provided is subject to change without notice.

All values are design or typical values when measured under laboratory conditions.





300016OBB (Oil Brushed Bronze)

Finish	Fixture	Glass	Blade 1	Blade 2
Oil Brushed Bronze	300016OBB	CASED OPAL	WALNUT	CHERRY
Brushed Stainless Steel	300016BSS	CASED OPAL	MEDIUM OAK	DARK OAK

## **Control Options**

Product ID	Descr
337001WH	Universal Remote Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
371042MUL	56K Wall Control System Basic

Dry
www.kichler.com/warranty
The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
120V 60Hz AC
23.43 LBS
7.5 feet

Project Name: \_

