

Hatteras Bay Collection

56 Inch Hatteras Bay Fan BAB

300018BAB (Burnished Antique Brass)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Product Information

Product ID	300018BAB
Finish	Burnished Antique Brass
Blade Finish	Poplar Burl/Elm Burl
Collection	Hatteras Bay Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	149	5515	69	.66	80
Med	97	3670	94	.53	39
Low	52	1895	135	.35	14

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	56"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 12.00
Primary Control System	3 Speed Cooltouch Full Functn
Remote Included	Yes
Wall Control Included	No
Low Ceiling Adaptable	Yes, Dual Mount Included
Lead Wire Length	78.00"
Motor Size	188MM X 25MM
Motor Type	AC


Downlight

Downlight Included	Yes
Light Source	Incandescent
Downlight Bulb Included	Included
Downlight Bulb Type	T3
Number of Lights/LEDs	4
Max or Nominal Watt	40W
Glass Description	Fresnel Lens
Optional Light Kit Available	No

Safety Listings & Certifications



Dimensions



Downrod	A	B	C	D
1.00 OD X 12.00	22.50	18.50	15.25	6.63

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
--------	---------	-------	---------	---------

Hatteras Bay Collection

56 Inch Hatteras Bay Fan BAB

300018BAB (Burnished Antique Brass)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Burnished Antique Brass	300018BAB	FRESNEL LENS	POPLAR BURL	ELM BURL
Brushed Stainless Steel	300018BSS	FRESNEL LENS	MEDIUM OAK	DARK OAK
Oil Brushed Bronze	300018OBB	FRESNEL LENS	WALNUT	CHERRY
Distressed Black	300018DBK	FRESNEL LENS	WALNUT	CHERRY

Control Options

Product ID	Descr
370038MULTR	Wall Transmitter F-Function
371045MUL	56K Wall Control System Full F

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	33 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Hatteras Bay Collection

56 Inch Hatteras Bay Fan BSS

300018BSS (Brushed Stainless Steel)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Product Information


Product ID	300018BSS
Finish	Brushed Stainless Steel
Blade Finish	Medium Oak/Dark Oak
Collection	Hatteras Bay Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	149	5515	69	.66	80
Med	97	3670	94	.53	39
Low	52	1895	135	.35	14



Dimensions



Downrod	A	B	C	D
1.00 OD X 12.00	22.50	18.50	15.25	6.63

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
--------	---------	-------	---------	---------

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	56"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 12.00
Primary Control System	3 Speed Cooltouch Full Functn
Remote Included	Yes
Wall Control Included	No
Low Ceiling Adaptable	Yes, Dual Mount Included
Lead Wire Length	78.00"
Motor Size	188MM X 25MM
Motor Type	AC

Downlight

Downlight Included	Yes
Light Source	Incandescent
Downlight Bulb Included	Included
Downlight Bulb Type	T3
Number of Lights/LEDs	4
Max or Nominal Watt	40W
Glass Description	Fresnel Lens
Optional Light Kit Available	No

Safety Listings & Certifications

Hatteras Bay Collection

56 Inch Hatteras Bay Fan BSS

300018BSS (Brushed Stainless Steel)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Burnished Antique Brass	300018BAB	FRESNEL LENS	POPLAR BURL	ELM BURL
Brushed Stainless Steel	300018BSS	FRESNEL LENS	MEDIUM OAK	DARK OAK
Oil Brushed Bronze	300018OBB	FRESNEL LENS	WALNUT	CHERRY
Distressed Black	300018DBK	FRESNEL LENS	WALNUT	CHERRY

Control Options

Product ID	Descr
370038MULTR	Wall Transmitter F-Function
371045MUL	56K Wall Control System Full F

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	33 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Hatteras Bay Collection

56 Inch Hatteras Bay Fan DBK

300018DBK (Distressed Black)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Product Information

Product ID	300018DBK
Finish	Distressed Black
Blade Finish	Walnut/Cherry
Collection	Hatteras Bay Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	149	5515	69	.66	80
Med	97	3670	94	.53	39
Low	52	1895	135	.35	14

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	56"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 12.00
Primary Control System	3 Speed Cooltouch Full Functn
Remote Included	Yes
Wall Control Included	No
Low Ceiling Adaptable	Yes, Dual Mount Included
Lead Wire Length	78.00"
Motor Size	188MM X 25MM
Motor Type	AC


Downlight

Downlight Included	Yes
Light Source	Incandescent
Downlight Bulb Included	Included
Downlight Bulb Type	T3
Number of Lights/LEDs	4
Max or Nominal Watt	40W
Glass Description	Fresnel Lens
Optional Light Kit Available	No

Safety Listings & Certifications



Dimensions



Downrod	A	B	C	D
1.00 OD X 12.00	22.50	18.50	15.25	6.63

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
--------	---------	-------	---------	---------

Hatteras Bay Collection

56 Inch Hatteras Bay Fan DBK

300018DBK (Distressed Black)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Burnished Antique Brass	300018BAB	FRESNEL LENS	POPLAR BURL	ELM BURL
Brushed Stainless Steel	300018BSS	FRESNEL LENS	MEDIUM OAK	DARK OAK
Oil Brushed Bronze	300018OBB	FRESNEL LENS	WALNUT	CHERRY
Distressed Black	300018DBK	FRESNEL LENS	WALNUT	CHERRY

Control Options

Product ID	Descr
370038MULTR	Wall Transmitter F-Function
371045MUL	56K Wall Control System Full F

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	33 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Hatteras Bay Collection

56 Inch Hatteras Bay Fan OBB

300018OBB (Oil Brushed Bronze)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Product Information

Product ID	300018OBB
Finish	Oil Brushed Bronze
Blade Finish	Walnut/Cherry
Collection	Hatteras Bay Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	149	5515	69	.66	80
Med	97	3670	94	.53	39
Low	52	1895	135	.35	14

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	56"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 12.00
Primary Control System	3 Speed Cooltouch Full Functn
Remote Included	Yes
Wall Control Included	No
Low Ceiling Adaptable	Yes, Dual Mount Included
Lead Wire Length	78.00"
Motor Size	188MM X 25MM
Motor Type	AC


Downlight

Downlight Included	Yes
Light Source	Incandescent
Downlight Bulb Included	Included
Downlight Bulb Type	T3
Number of Lights/LEDs	4
Max or Nominal Watt	40W
Glass Description	Fresnel Lens
Optional Light Kit Available	No

Safety Listings & Certifications



Dimensions



Downrod	A	B	C	D
1.00 OD X 12.00	22.50	18.50	15.25	6.63

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
--------	---------	-------	---------	---------

Hatteras Bay Collection

56 Inch Hatteras Bay Fan OBB

300018OBB (Oil Brushed Bronze)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Burnished Antique Brass	300018BAB	FRESNEL LENS	POPLAR BURL	ELM BURL
Brushed Stainless Steel	300018BSS	FRESNEL LENS	MEDIUM OAK	DARK OAK
Oil Brushed Bronze	300018OBB	FRESNEL LENS	WALNUT	CHERRY
Distressed Black	300018DBK	FRESNEL LENS	WALNUT	CHERRY

Control Options

Product ID	Descr
370038MULTR	Wall Transmitter F-Function
371045MUL	56K Wall Control System Full F

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	33 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet