Kittery Point Collection
52 Inch Kittery Point Fan AP
300020AP (Antique Pewter)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Product Information

Product ID	300020AP
Finish	Antique Pewter
Blade Finish	Light Cherry/Dark Cherry
Collection	Kittery Point Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	166	5054	86	.49	59
Med	122	3838	113	.44	34
Low	65	2131	178	.3	12

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 6.00
Downrod 2	1.00 OD X 12.00
Primary Control System	3 Speed Cooltouch Full Functn
Remote Included	Yes
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	188MM X 15MM
Motor Type	AC

Dimensions



Downrod	A	B	C	D
1.00 OD X 6.00	18.25	11.75	16.25	6.10
1.00 OD X 12.00	24.25	17.75	16.25	6.10

Downlight

Downlight Included	Yes
Light Source	Incandescent
Downlight Bulb Included	Included
Downlight Bulb Type	T3
Number of Lights/LEDs	4
Max or Nominal Watt	40W
Glass Description	Fresnel Lens
Optional Light Kit Available	No

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2

Kichler
7711 East Pleasant Valley Road
Cleveland, Ohio 44131-8010
Toll free: 866.558.5706 or kichler.com

Notes:
1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

KICHLER

Kittery Point Collection
52 Inch Kittery Point Fan AP
300020AP (Antique Pewter)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Antique Pewter	300020AP	FRESNEL LENS	LIGHT CHERRY	DARK CHERRY
Polished Nickel	300020PN	FRESNEL LENS	WALNUT	MEDIUM CHERRY
Olde Bronze	300020OZ	FRESNEL LENS	WALNUT	MEDIUM CHERRY

Control Options

Product ID	Descr
370038MULTR	Wall Transmitter F-Function
371045MUL	56K Wall Control System Full F

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	31.6 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Kichler
7711 East Pleasant Valley Road
Cleveland, Ohio 44131-8010
Toll free: 866.558.5706 or kichler.com

Notes:
1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

KICHLER

Kittery Point Collection
52 Inch Kittery Point Fan OZ
300020OZ (Olde Bronze)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Product Information

Product ID	300020OZ
Finish	Olde Bronze
Blade Finish	Walnut/Medium Cherry
Collection	Kittery Point Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	166	5054	86	.49	59
Med	122	3838	113	.44	34
Low	65	2131	178	.3	12

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 6.00
Downrod 2	1.00 OD X 12.00
Primary Control System	3 Speed Cooltouch Full Functn
Remote Included	Yes
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	188MM X 15MM
Motor Type	AC

Dimensions



Downrod	A	B	C	D
1.00 OD X 6.00	18.25	11.75	16.25	6.10
1.00 OD X 12.00	24.25	17.75	16.25	6.10

Downlight

Downlight Included	Yes
Light Source	Incandescent
Downlight Bulb Included	Included
Downlight Bulb Type	T3
Number of Lights/LEDs	4
Max or Nominal Watt	40W
Glass Description	Fresnel Lens
Optional Light Kit Available	No

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2

Kichler
7711 East Pleasant Valley Road
Cleveland, Ohio 44131-8010
Toll free: 866.558.5706 or kichler.com

Notes:
1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

KICHLER

Kittery Point Collection
52 Inch Kittery Point Fan OZ
300020OZ (Olde Bronze)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Antique Pewter	300020AP	FRESNEL LENS	LIGHT CHERRY	DARK CHERRY
Polished Nickel	300020PN	FRESNEL LENS	WALNUT	MEDIUM CHERRY
Olde Bronze	300020OZ	FRESNEL LENS	WALNUT	MEDIUM CHERRY

Control Options

Product ID	Descr
370038MULTR	Wall Transmitter F-Function
371045MUL	56K Wall Control System Full F

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	31.6 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Kichler
7711 East Pleasant Valley Road
Cleveland, Ohio 44131-8010
Toll free: 866.558.5706 or kichler.com

Notes:
1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

KICHLER

Kittery Point Collection
52 Inch Kittery Point Fan PN
300020PN (Polished Nickel)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Product Information

Product ID	300020PN
Finish	Polished Nickel
Blade Finish	Walnut/Medium Cherry
Collection	Kittery Point Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	166	5054	86	.49	59
Med	122	3838	113	.44	34
Low	65	2131	178	.3	12

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 6.00
Downrod 2	1.00 OD X 12.00
Primary Control System	3 Speed Cooltouch Full Functn
Remote Included	Yes
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	188MM X 15MM
Motor Type	AC

Downlight

Downlight Included	Yes
Light Source	Incandescent
Downlight Bulb Included	Included
Downlight Bulb Type	T3
Number of Lights/LEDs	4
Max or Nominal Watt	40W
Glass Description	Fresnel Lens
Optional Light Kit Available	No

Dimensions



Downrod	A	B	C	D
1.00 OD X 6.00	18.25	11.75	16.25	6.10
1.00 OD X 12.00	24.25	17.75	16.25	6.10

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2

Kichler
7711 East Pleasant Valley Road
Cleveland, Ohio 44131-8010
Toll free: 866.558.5706 or kichler.com

Notes:
1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

KICHLER

Kittery Point Collection
52 Inch Kittery Point Fan PN
300020PN (Polished Nickel)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Antique Pewter	300020AP	FRESNEL LENS	LIGHT CHERRY	DARK CHERRY
Polished Nickel	300020PN	FRESNEL LENS	WALNUT	MEDIUM CHERRY
Olde Bronze	300020OZ	FRESNEL LENS	WALNUT	MEDIUM CHERRY

Control Options

Product ID	Descr
370038MULTR	Wall Transmitter F-Function
371045MUL	56K Wall Control System Full F

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	31.6 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Kichler
7711 East Pleasant Valley Road
Cleveland, Ohio 44131-8010
Toll free: 866.558.5706 or kichler.com

Notes:
1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

KICHLER