

Canfield 30" Collection
30 Inch Canfield Fan
300103NI (Brushed Nickel)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Product Information

| | |
|--------------|-------------------------|
| Product ID | 300103NI |
| Finish | Brushed Nickel |
| Blade Finish | Cherry/Walnut |
| Collection | Canfield 30" Collection |

Airflow, Power and Efficiency

| Speed | RPM | CFM | CFM/ Watt | Amps | Watts |
|-------|-----|------|-----------|------|-------|
| High | 230 | 2266 | 48 | .39 | 47 |
| Med | 167 | 1564 | 63 | .28 | 25 |
| Low | 87 | 847 | 94 | .16 | 9 |

Specifications

| | |
|---------------------------|--------------------------|
| Number of Blades | 5 |
| Blades Included | Yes |
| Blade Pitch | 24 Degrees |
| Blade Sweep | 30" |
| Blades Reversible | Yes |
| Blade Material | UV COATED WOOD |
| Optional Blades Available | No |
| Downrod 1 | 1.00 OD X 6.00 |
| Primary Control System | Pull Chain |
| Remote Included | No |
| Wall Control Included | No |
| Low Ceiling Adaptable | Yes, Dual Mount Included |
| Lead Wire Length | 78.00" |
| Motor Size | 153MM X 17MM |
| Motor Type | AC |

Downlight

| | |
|------------------------------|--------------|
| Downlight Bulb Included | Not Included |
| Glass Description | NONE |
| Optional Light Kit Available | No |

Safety Listings & Certifications


| | |
|--------------|--------------------------|
| Safety Rated | Dry |
| Warranty | www.kichler.com/warranty |

Installation

The electrical junction box and support structure must be



Dimensions



| Downrod | A | B | C | D |
|----------------|-------|-------|------|------|
| 1.00 OD X 6.00 | 15.00 | 12.80 | 9.25 | 6.02 |

Available Finishes

| Finish | Fixture | Glass | Blade 1 | Blade 2 |
|--------|---------|-------|---------|---------|
|--------|---------|-------|---------|---------|

Canfield 30" Collection

30 Inch Canfield Fan

300103NI (Brushed Nickel)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

| | | | | |
|-------------------------|--------------|-----|-----------------|-----------------|
| Brushed Nickel | 300103NI | N/A | CHERRY | WALNUT |
| Oil Brushed Bronze | 300103OBB | N/A | CHERRY | WALNUT |
| White | 300103WH | N/A | WHITE | WHITE |
| Oil Brushed Bronze | 300103OBB220 | | CHERRY | WALNUT |
| Satin Natural White | 300103SNW220 | | SATIN NAT WHITE | SATIN NAT WHITE |
| Brushed Stainless Steel | 300103BSS220 | | LIGHT OAK | MEDIUM OAK |
| Brushed Nickel | 300103NI220 | | CHERRY | WALNUT |
| White | 300103WH220 | | WHITE | WHITE |

| | |
|---|---|
| Installation requirements | securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support"" |
| Electrical Requirements | 120V 60Hz AC |
| Hanging Weight | 14.8 LBS |
| Minimum Distance Between Bottom Of Fan Blade To Floor | 7.5 feet |

Control Options

| Product ID | Descr |
|------------|--------------------------------|
| 337012ALM | 4 Speed Fan Slide Control |
| 337012IV | 4 Speed Fan Slide Control |
| 337012WH | 4 Speed Fan Slide Control |
| 337214 | Limited Function Cooltouch |
| 370039MUL | Wall Control System L-Function |
| 370040 | 4 Speed Rotary Switch 10 AMP |

Canfield 30" Collection
30 Inch Canfield Fan
300103OBB (Oil Brushed Bronze)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Product Information

| | |
|--------------|-------------------------|
| Product ID | 300103OBB |
| Finish | Oil Brushed Bronze |
| Blade Finish | Cherry/Walnut |
| Collection | Canfield 30" Collection |

Airflow, Power and Efficiency

| Speed | RPM | CFM | CFM/ Watt | Amps | Watts |
|-------|-----|------|-----------|------|-------|
| High | 230 | 2266 | 48 | .39 | 47 |
| Med | 167 | 1564 | 63 | .28 | 25 |
| Low | 87 | 847 | 94 | .16 | 9 |

Specifications

| | |
|---------------------------|--------------------------|
| Number of Blades | 5 |
| Blades Included | Yes |
| Blade Pitch | 24 Degrees |
| Blade Sweep | 30" |
| Blades Reversible | Yes |
| Blade Material | UV COATED WOOD |
| Optional Blades Available | No |
| Downrod 1 | 1.00 OD X 6.00 |
| Primary Control System | Pull Chain |
| Remote Included | No |
| Wall Control Included | No |
| Low Ceiling Adaptable | Yes, Dual Mount Included |
| Lead Wire Length | 78.00" |
| Motor Size | 153MM X 17MM |
| Motor Type | AC |

Downlight

| | |
|------------------------------|--------------|
| Downlight Bulb Included | Not Included |
| Glass Description | NONE |
| Optional Light Kit Available | No |

Safety Listings & Certifications


| | |
|--------------|--------------------------|
| Safety Rated | Dry |
| Warranty | www.kichler.com/warranty |

Installation

The electrical junction box and support structure must be



Dimensions



| Downrod | A | B | C | D |
|----------------|-------|-------|------|------|
| 1.00 OD X 6.00 | 15.00 | 12.80 | 9.25 | 6.02 |

Available Finishes

| Finish | Fixture | Glass | Blade 1 | Blade 2 |
|--------|---------|-------|---------|---------|
|--------|---------|-------|---------|---------|

Canfield 30" Collection

30 Inch Canfield Fan

300103OBB (Oil Brushed Bronze)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

| | | | | |
|-------------------------|--------------|-----|--------------------|--------------------|
| Brushed Nickel | 300103NI | N/A | CHERRY | WALNUT |
| Oil Brushed Bronze | 300103OBB | N/A | CHERRY | WALNUT |
| White | 300103WH | N/A | WHITE | WHITE |
| Oil Brushed Bronze | 300103OBB220 | | CHERRY | WALNUT |
| Satin Natural White | 300103SNW220 | | SATIN NAT WHITE | SATIN NAT WHITE |
| Brushed Stainless Steel | 300103BSS220 | | LIGHT OAK | MEDIUM OAK |
| Brushed Nickel | 300103NI220 | | CHERRY | WALNUT |
| White | 300103WH220 | | WHITE | WHITE |

| | |
|---|---|
| Installation requirements | securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support"" |
| Electrical Requirements | 120V 60Hz AC |
| Hanging Weight | 14.8 LBS |
| Minimum Distance Between Bottom Of Fan Blade To Floor | 7.5 feet |

Control Options

| Product ID | Descr |
|------------|--------------------------------|
| 337012ALM | 4 Speed Fan Slide Control |
| 337012IV | 4 Speed Fan Slide Control |
| 337012WH | 4 Speed Fan Slide Control |
| 337214 | Limited Function Cooltouch |
| 370039MUL | Wall Control System L-Function |
| 370040 | 4 Speed Rotary Switch 10 AMP |

Canfield 30" Collection
30 Inch Canfield Fan
300103WH (White)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Product Information

| | |
|--------------|-------------------------|
| Product ID | 300103WH |
| Finish | White |
| Blade Finish | White/White |
| Collection | Canfield 30" Collection |

Airflow, Power and Efficiency

| Speed | RPM | CFM | CFM/ Watt | Amps | Watts |
|-------|-----|------|-----------|------|-------|
| High | 230 | 2266 | 48 | .39 | 47 |
| Med | 167 | 1564 | 63 | .28 | 25 |
| Low | 87 | 847 | 94 | .16 | 9 |

Specifications

| | |
|---------------------------|--------------------------|
| Number of Blades | 5 |
| Blades Included | Yes |
| Blade Pitch | 24 Degrees |
| Blade Sweep | 30" |
| Blades Reversible | Yes |
| Blade Material | UV COATED WOOD |
| Optional Blades Available | No |
| Downrod 1 | 1.00 OD X 6.00 |
| Primary Control System | Pull Chain |
| Remote Included | No |
| Wall Control Included | No |
| Low Ceiling Adaptable | Yes, Dual Mount Included |
| Lead Wire Length | 78.00" |
| Motor Size | 153MM X 17MM |
| Motor Type | AC |

Downlight

| | |
|------------------------------|--------------|
| Downlight Bulb Included | Not Included |
| Glass Description | NONE |
| Optional Light Kit Available | No |

Safety Listings & Certifications


| | |
|--------------|--------------------------|
| Safety Rated | Dry |
| Warranty | www.kichler.com/warranty |

Installation

The electrical junction box and support structure must be



Dimensions



| Downrod | A | B | C | D |
|----------------|-------|-------|------|------|
| 1.00 OD X 6.00 | 15.00 | 12.80 | 9.25 | 6.02 |

Available Finishes

| Finish | Fixture | Glass | Blade 1 | Blade 2 |
|--------|---------|-------|---------|---------|
|--------|---------|-------|---------|---------|

Canfield 30" Collection

30 Inch Canfield Fan

300103WH (White)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

| | | | | |
|----------------------------|--------------|-----|--------------------|--------------------|
| Brushed Nickel | 300103NI | N/A | CHERRY | WALNUT |
| Oil Brushed Bronze | 300103OBB | N/A | CHERRY | WALNUT |
| White | 300103WH | N/A | WHITE | WHITE |
| Oil Brushed Bronze | 300103OBB220 | | CHERRY | WALNUT |
| Satin Natural White | 300103SNW220 | | SATIN NAT WHITE | SATIN NAT WHITE |
| Brushed Stainless Steel | 300103BSS220 | | LIGHT OAK | MEDIUM OAK |
| Brushed Nickel | 300103NI220 | | CHERRY | WALNUT |
| White | 300103WH220 | | WHITE | WHITE |

| | |
|---|---|
| Installation requirements | securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support"" |
| Electrical Requirements | 120V 60Hz AC |
| Hanging Weight | 14.8 LBS |
| Minimum Distance Between Bottom Of Fan Blade To Floor | 7.5 feet |

Control Options

| Product ID | Descr |
|------------|--------------------------------|
| 337012ALM | 4 Speed Fan Slide Control |
| 337012IV | 4 Speed Fan Slide Control |
| 337012WH | 4 Speed Fan Slide Control |
| 337214 | Limited Function Cooltouch |
| 370039MUL | Wall Control System L-Function |
| 370040 | 4 Speed Rotary Switch 10 AMP |