

Canfield Collection

52 Inch Canfield Ceiling Fan BSS

300117BSS (Brushed Stainless Steel)

Project Name: _____

Location: _____


Type: _____

Qty: _____

Comments: _____



Dimensions



Downrod	A	B	C	D
1.00 OD X 4.00	13.50	10.75	12.50	6.30

Available Finishes

Product Information

Product ID	300117BSS
Finish	Brushed Stainless Steel
Blade Finish	Medium Oak/Dark Oak
Collection	Canfield Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	168	6151	94	.55	65
Med	116	3940	129	.38	31
Low	62	1982	191	.24	10

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	Yes
Downrod 1	1.00 OD X 4.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 20MM
Motor Type	AC

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications

Safety Rated	Dry
Energy Star	Yes
Warranty	www.kichler.com/warranty

Installation

The electrical junction box

Canfield Collection

52 Inch Canfield Ceiling Fan BSS

300117BSS (Brushed Stainless Steel)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Oil Brushed Bronze	300117OBB		CHERRY	LIGHT WALNUT
Brushed Nickel	300117NI		CHERRY	LIGHT WALNUT
Tannery Bronze	300117TZ		TEAK	DARK CHERRY
Distressed Black	300117DBK		AMERICAN WALNUT	DARK WALNUT
White	300117WH		WHITE	WHITE
Brushed Stainless Steel	300117BSS		MEDIUM OAK	DARK OAK
Satin Natural White	300117SNW		SATIN NAT WHITE	SAT NAT WHITE
Matte White	300117MWH		MATTE WHITE	WEATHR WHT WLNT
Natural Brass	300117NBR		LIGHT CHERRY	DARK CHERRY

Installation requirements	and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	19.7 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Accessory Blade Options

Product ID	Descr
370050	52 In Canfield Accessory Blade
371030	52 Inch Carved Wood Blade Set
371031	52 In Shadowed Walnut Blade
371032	52 Inch Carved Wood Blade Set
371035	52 Inch Carved Wood Blade Set
371036	52 Inch Carved Wood Blade Set
371037	52 Inch Carved Wood Blade Set
371038	52 Inch Carved Wood Blade Set
371039	52 Inch Carved Wood Blade Set
371070	52 In Canfield Accessory Blade

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
370040	4 Speed Rotary Switch 10 AMP

Canfield Collection

52 Inch Canfield Ceiling Fan BSS

300117BSS (Brushed Stainless Steel)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Product ID	Descr
371033	52in Shadowed Cherry Blade
3R200BSS	CoolTouch Control System R200

Canfield Collection

52 Inch Canfield Ceiling Fan

300117DBK (Distressed Black)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Product Information

Product ID	300117DBK
Finish	Distressed Black
Blade Finish	American Walnut/Dark Walnut
Collection	Canfield Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	168	6151	94	.55	65
Med	116	3940	129	.38	31
Low	62	1982	191	.24	10

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	Yes
Downrod 1	1.00 OD X 4.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 20MM
Motor Type	AC

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications


Safety Rated	Dry
Energy Star	Yes
Warranty	www.kichler.com/warranty

Installation

The electrical junction box and support structure must be securely mounted and



Dimensions



Downrod	A	B	C	D
1.00 OD X 4.00	13.50	10.75	12.50	6.30

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Oil Brushed Bronze	300117OBB		CHERRY	LIGHT WALNUT

Kichler
7711 East Pleasant Valley Road
Cleveland, Ohio 44131-8010
Toll free: 866.558.5706 or kichler.com

Notes:
1) Information provided is subject to change without notice.
All values are design or typical values when measured under laboratory conditions.
2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

KICHLER

Canfield Collection

52 Inch Canfield Ceiling Fan

300117DBK (Distressed Black)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Brushed Nickel	300117NI		CHERRY	LIGHT WALNUT
Tannery Bronze	300117TZ		TEAK	DARK CHERRY
Distressed Black	300117DBK		AMERICAN WALNUT	DARK WALNUT
White	300117WH		WHITE	WHITE
Brushed Stainless Steel	300117BSS		MEDIUM OAK	DARK OAK
Satin Natural White	300117SNW		SATIN NAT WHITE	SAT NAT WHITE
Matte White	300117MWH		MATTE WHITE	WEATHR WHT WLNT
Natural Brass	300117NBR		LIGHT CHERRY	DARK CHERRY

Installation requirements	capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	19.7 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Accessory Blade Options

Product ID	Descr
370050	52 In Canfield Accessory Blade
371030	52 Inch Carved Wood Blade Set
371031	52 In Shadowed Walnut Blade
371032	52 Inch Carved Wood Blade Set
371035	52 Inch Carved Wood Blade Set
371036	52 Inch Carved Wood Blade Set
371037	52 Inch Carved Wood Blade Set
371038	52 Inch Carved Wood Blade Set
371039	52 Inch Carved Wood Blade Set
371070	52 In Canfield Accessory Blade

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
370040	4 Speed Rotary Switch 10 AMP
371033	52in Shadowed Cherry Blade

Canfield Collection

52 Inch Canfield Ceiling Fan

300117DBK (Distressed Black)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Product ID	Descr
3R200BSS	CoolTouch Control System R200

Canfield Collection

52" Canfield Ceiling Fan MWH

300117MWH

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Product Information

Product ID	300117MWH
Blade Finish	Matte White/Weathr Wht Wlnt
Collection	Canfield Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	168	6151	94	.55	65
Med	116	3940	129	.38	31
Low	62	1982	191	.24	10

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	Yes
Downrod 1	1.00 OD X 4.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 20MM
Motor Type	AC

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications


Safety Rated	Dry
Energy Star	Yes
Warranty	www.kichler.com/warranty

Installation

The electrical junction box



Dimensions



Downrod	A	B	C	D
1.00 OD X 4.00	13.50	10.75	12.50	6.30

Canfield Collection

52" Canfield Ceiling Fan MWH

300117MWH

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Oil Brushed Bronze	300117OBB		CHERRY	LIGHT WALNUT
Brushed Nickel	300117NI		CHERRY	LIGHT WALNUT
Tannery Bronze	300117TZ		TEAK	DARK CHERRY
Distressed Black	300117DBK		AMERICAN WALNUT	DARK WALNUT
White	300117WH		WHITE	WHITE
Brushed Stainless Steel	300117BSS		MEDIUM OAK	DARK OAK
Satin Natural White	300117SNW		SATIN NAT WHITE	SAT NAT WHITE
Matte White	300117MWH		MATTE WHITE	WEATHR WHT WLNT
Natural Brass	300117NBR		LIGHT CHERRY	DARK CHERRY

Installation requirements	and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	19.7 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Accessory Blade Options

Product ID	Descr
370050	52 In Canfield Accessory Blade
371030	52 Inch Carved Wood Blade Set
371031	52 In Shadowed Walnut Blade
371032	52 Inch Carved Wood Blade Set
371035	52 Inch Carved Wood Blade Set
371036	52 Inch Carved Wood Blade Set
371037	52 Inch Carved Wood Blade Set
371038	52 Inch Carved Wood Blade Set
371039	52 Inch Carved Wood Blade Set
371070	52 In Canfield Accessory Blade

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function

Canfield Collection
52" Canfield Ceiling Fan MWH
300117MWH

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Product ID	Descr
370040	4 Speed Rotary Switch 10 AMP
371033	52in Shadowed Cherry Blade
3R200BSS	CoolTouch Control System R200

Canfield Collection

52" Canfield Ceiling Fan NBR

300117NBR (Natural Brass)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Product Information

Product ID	300117NBR
Finish	Natural Brass
Blade Finish	Light Cherry/Dark Cherry
Collection	Canfield Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	168	6151	94	.55	65
Med	116	3940	129	.38	31
Low	62	1982	191	.24	10

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	Yes
Downrod 1	1.00 OD X 4.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 20MM
Motor Type	AC

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications


Safety Rated	Dry
Energy Star	Yes
Warranty	www.kichler.com/warranty

Installation

The electrical junction box



Dimensions



Downrod	A	B	C	D
1.00 OD X 4.00	13.50	10.75	12.50	6.30

Available Finishes

Canfield Collection

52" Canfield Ceiling Fan NBR

300117NBR (Natural Brass)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Oil Brushed Bronze	300117OBB		CHERRY	WALNUT
Brushed Nickel	300117NI		CHERRY	WALNUT
Tannery Bronze	300117TZ		TEAK	DARK CHERRY
Distressed Black	300117DBK		AMERICAN WALNUT	DARK WALNUT
White	300117WH		WHITE	WHITE
Brushed Stainless Steel	300117BSS		MEDIUM OAK	DARK OAK
Satin Natural White	300117SNW		SATIN NAT WHITE	SAT NAT WHITE
Matte White	300117MWH		MATTE WHITE	WEATHR WHT WLNT
Natural Brass	300117NBR		MEDIUM CHERRY	DARK CHERRY

Installation requirements	and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	19.7 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Accessory Blade Options

Product ID	Descr
370050	52 In Canfield Accessory Blade
371030	52 Inch Carved Wood Blade Set
371031	52 In Shadowed Walnut Blade
371032	52 Inch Carved Wood Blade Set
371035	52 Inch Carved Wood Blade Set
371036	52 Inch Carved Wood Blade Set
371037	52 Inch Carved Wood Blade Set
371038	52 Inch Carved Wood Blade Set
371039	52 Inch Carved Wood Blade Set
371070	52 In Canfield Accessory Blade

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function

Canfield Collection
52" Canfield Ceiling Fan NBR
300117NBR (Natural Brass)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Product ID	Descr
370040	4 Speed Rotary Switch 10 AMP
371033	52in Shadowed Cherry Blade
3R200BSS	CoolTouch Control System R200

Canfield Collection

52 Inch Canfield Ceiling Fan NI

300117NI (Brushed Nickel)

Project Name: _____

Location: _____


Type: _____

Qty: _____

Comments: _____



Dimensions



Downrod	A	B	C	D
1.00 OD X 4.00	13.50	10.75	12.50	6.30

Available Finishes

Product Information

Product ID	300117NI
Finish	Brushed Nickel
Blade Finish	Cherry/Light Walnut
Collection	Canfield Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	168	6151	94	.55	65
Med	116	3940	129	.38	31
Low	62	1982	191	.24	10

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	Yes
Downrod 1	1.00 OD X 4.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 20MM
Motor Type	AC

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications

Safety Rated	Dry
Energy Star	Yes
Warranty	www.kichler.com/warranty

Installation

The electrical junction box

Canfield Collection

52 Inch Canfield Ceiling Fan NI

300117NI (Brushed Nickel)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Oil Brushed Bronze	300117OBB		CHERRY	LIGHT WALNUT
Brushed Nickel	300117NI		CHERRY	LIGHT WALNUT
Tannery Bronze	300117TZ		TEAK	DARK CHERRY
Distressed Black	300117DBK		AMERICAN WALNUT	DARK WALNUT
White	300117WH		WHITE	WHITE
Brushed Stainless Steel	300117BSS		MEDIUM OAK	DARK OAK
Satin Natural White	300117SNW		SATIN NAT WHITE	SAT NAT WHITE
Matte White	300117MWH		MATTE WHITE	WEATHR WHT WLNT
Natural Brass	300117NBR		LIGHT CHERRY	DARK CHERRY

Installation requirements	and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	19.7 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Accessory Blade Options

Product ID	Descr
370050	52 In Canfield Accessory Blade
371030	52 Inch Carved Wood Blade Set
371031	52 In Shadowed Walnut Blade
371032	52 Inch Carved Wood Blade Set
371035	52 Inch Carved Wood Blade Set
371036	52 Inch Carved Wood Blade Set
371037	52 Inch Carved Wood Blade Set
371038	52 Inch Carved Wood Blade Set
371039	52 Inch Carved Wood Blade Set
371070	52 In Canfield Accessory Blade

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
370040	4 Speed Rotary Switch 10 AMP

Canfield Collection

52 Inch Canfield Ceiling Fan NI

300117NI (Brushed Nickel)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Product ID	Descr
371033	52in Shadowed Cherry Blade
3R200BSS	CoolTouch Control System R200

Canfield Collection

52 Inch Canfield Ceiling Fan OBB

300117OBB (Oil Brushed Bronze)

Project Name: _____

Location: _____


Type: _____

Qty: _____

Comments: _____



Dimensions



Downrod	A	B	C	D
1.00 OD X 4.00	13.50	10.75	12.50	6.30

Available Finishes

Product Information

Product ID	300117OBB
Finish	Oil Brushed Bronze
Blade Finish	Cherry/Light Walnut
Collection	Canfield Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	168	6151	94	.55	65
Med	116	3940	129	.38	31
Low	62	1982	191	.24	10

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	Yes
Downrod 1	1.00 OD X 4.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 20MM
Motor Type	AC

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications

Safety Rated	Dry
Energy Star	Yes
Warranty	www.kichler.com/warranty

Installation

The electrical junction box

Canfield Collection

52 Inch Canfield Ceiling Fan OBB

300117OBB (Oil Brushed Bronze)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Oil Brushed Bronze	300117OBB		CHERRY	LIGHT WALNUT
Brushed Nickel	300117NI		CHERRY	LIGHT WALNUT
Tannery Bronze	300117TZ		TEAK	DARK CHERRY
Distressed Black	300117DBK		AMERICAN WALNUT	DARK WALNUT
White	300117WH		WHITE	WHITE
Brushed Stainless Steel	300117BSS		MEDIUM OAK	DARK OAK
Satin Natural White	300117SNW		SATIN NAT WHITE	SAT NAT WHITE
Matte White	300117MWH		MATTE WHITE	WEATHR WHT WLNT
Natural Brass	300117NBR		LIGHT CHERRY	DARK CHERRY

Installation requirements	and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	19.7 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Accessory Blade Options

Product ID	Descr
370050	52 In Canfield Accessory Blade
371030	52 Inch Carved Wood Blade Set
371031	52 In Shadowed Walnut Blade
371032	52 Inch Carved Wood Blade Set
371035	52 Inch Carved Wood Blade Set
371036	52 Inch Carved Wood Blade Set
371037	52 Inch Carved Wood Blade Set
371038	52 Inch Carved Wood Blade Set
371039	52 Inch Carved Wood Blade Set
371070	52 In Canfield Accessory Blade

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
370040	4 Speed Rotary Switch 10 AMP

Canfield Collection

52 Inch Canfield Ceiling Fan OBB

300117OBB (Oil Brushed Bronze)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Product ID	Descr
371033	52in Shadowed Cherry Blade
3R200BSS	CoolTouch Control System R200

Canfield Collection

52 Inch Canfield Ceiling Fan SNW

300117SNW (Satin Natural White)

Project Name: _____

Location: _____


Type: _____

Qty: _____

Comments: _____



Dimensions



Downrod	A	B	C	D
1.00 OD X 4.00	13.50	10.75	12.50	6.30

Available Finishes

Product Information

Product ID	300117SNW
Finish	Satin Natural White
Blade Finish	Satin White/Non-Reversible
Collection	Canfield Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	168	6151	94	.55	65
Med	116	3940	129	.38	31
Low	62	1982	191	.24	10

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	Yes
Downrod 1	1.00 OD X 4.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 20MM
Motor Type	AC

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications

Safety Rated	Dry
Energy Star	Yes
Warranty	www.kichler.com/warranty

Installation

The electrical junction box

Canfield Collection

52 Inch Canfield Ceiling Fan SNW

300117SNW (Satin Natural White)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Oil Brushed Bronze	300117OBB		CHERRY	LIGHT WALNUT
Brushed Nickel	300117NI		CHERRY	LIGHT WALNUT
Tannery Bronze	300117TZ		TEAK	DARK CHERRY
Distressed Black	300117DBK		AMERICAN WALNUT	DARK WALNUT
White	300117WH		WHITE	WHITE
Brushed Stainless Steel	300117BSS		MEDIUM OAK	DARK OAK
Satin Natural White	300117SNW		SATIN NAT WHITE	SAT NAT WHITE
Matte White	300117MWH		MATTE WHITE	WEATHR WHT WLNT
Natural Brass	300117NBR		LIGHT CHERRY	DARK CHERRY

Installation requirements	and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	19.7 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Accessory Blade Options

Product ID	Descr
370050	52 In Canfield Accessory Blade
371030	52 Inch Carved Wood Blade Set
371031	52 In Shadowed Walnut Blade
371032	52 Inch Carved Wood Blade Set
371035	52 Inch Carved Wood Blade Set
371036	52 Inch Carved Wood Blade Set
371037	52 Inch Carved Wood Blade Set
371038	52 Inch Carved Wood Blade Set
371039	52 Inch Carved Wood Blade Set
371070	52 In Canfield Accessory Blade

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
370040	4 Speed Rotary Switch 10 AMP

Canfield Collection

52 Inch Canfield Ceiling Fan SNW

300117SNW (Satin Natural White)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Product ID	Descr
371033	52in Shadowed Cherry Blade
3R200BSS	CoolTouch Control System R200

Canfield Collection

52 Inch Canfield Ceiling Fan TZ

300117TZ (Tannery Bronze)

Project Name: _____

Location: _____


Type: _____

Qty: _____

Comments: _____



Dimensions



Downrod	A	B	C	D
1.00 OD X 4.00	13.50	10.75	12.50	6.30

Available Finishes

Product Information

Product ID	300117TZ
Finish	Tannery Bronze
Blade Finish	Teak/Dark Cherry
Collection	Canfield Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	168	6151	94	.55	65
Med	116	3940	129	.38	31
Low	62	1982	191	.24	10

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	Yes
Downrod 1	1.00 OD X 4.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 20MM
Motor Type	AC

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications

Safety Rated	Dry
Energy Star	Yes
Warranty	www.kichler.com/warranty

Installation

The electrical junction box

Canfield Collection

52 Inch Canfield Ceiling Fan TZ

300117TZ (Tannery Bronze)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Oil Brushed Bronze	300117OBB		CHERRY	LIGHT WALNUT
Brushed Nickel	300117NI		CHERRY	LIGHT WALNUT
Tannery Bronze	300117TZ		TEAK	DARK CHERRY
Distressed Black	300117DBK		AMERICAN WALNUT	DARK WALNUT
White	300117WH		WHITE	WHITE
Brushed Stainless Steel	300117BSS		MEDIUM OAK	DARK OAK
Satin Natural White	300117SNW		SATIN NAT WHITE	SAT NAT WHITE
Matte White	300117MWH		MATTE WHITE	WEATHR WHT WLNT
Natural Brass	300117NBR		LIGHT CHERRY	DARK CHERRY

Installation requirements	and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	19.7 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Accessory Blade Options

Product ID	Descr
370050	52 In Canfield Accessory Blade
371030	52 Inch Carved Wood Blade Set
371031	52 In Shadowed Walnut Blade
371032	52 Inch Carved Wood Blade Set
371035	52 Inch Carved Wood Blade Set
371036	52 Inch Carved Wood Blade Set
371037	52 Inch Carved Wood Blade Set
371038	52 Inch Carved Wood Blade Set
371039	52 Inch Carved Wood Blade Set
371070	52 In Canfield Accessory Blade

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
370040	4 Speed Rotary Switch 10 AMP

Canfield Collection

52 Inch Canfield Ceiling Fan TZ

300117TZ (Tannery Bronze)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Product ID	Descr
371033	52in Shadowed Cherry Blade
3R200BSS	CoolTouch Control System R200

Canfield Collection

52 Inch Canfield Ceiling Fan

300117WH (White)

Project Name: _____

Location: _____


Type: _____

Qty: _____

Comments: _____



Dimensions



Downrod	A	B	C	D
1.00 OD X 4.00	13.50	10.75	12.50	6.30

Available Finishes

Product Information

Product ID	300117WH
Finish	White
Blade Finish	White/White
Collection	Canfield Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	168	6151	94	.55	65
Med	116	3940	129	.38	31
Low	62	1982	191	.24	10

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	Yes
Downrod 1	1.00 OD X 4.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	172MM X 20MM
Motor Type	AC

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications

Safety Rated	Dry
Energy Star	Yes
Warranty	www.kichler.com/warranty

Installation

The electrical junction box

Canfield Collection

52 Inch Canfield Ceiling Fan

300117WH (White)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Oil Brushed Bronze	300117OBB		CHERRY	LIGHT WALNUT
Brushed Nickel	300117NI		CHERRY	LIGHT WALNUT
Tannery Bronze	300117TZ		TEAK	DARK CHERRY
Distressed Black	300117DBK		AMERICAN WALNUT	DARK WALNUT
White	300117WH		WHITE	WHITE
Brushed Stainless Steel	300117BSS		MEDIUM OAK	DARK OAK
Satin Natural White	300117SNW		SATIN NAT WHITE	SAT NAT WHITE
Matte White	300117MWH		MATTE WHITE	WEATHR WHT WLNT
Natural Brass	300117NBR		LIGHT CHERRY	DARK CHERRY

Installation requirements	and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	19.7 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Accessory Blade Options

Product ID	Descr
370050	52 In Canfield Accessory Blade
371030	52 Inch Carved Wood Blade Set
371031	52 In Shadowed Walnut Blade
371032	52 Inch Carved Wood Blade Set
371035	52 Inch Carved Wood Blade Set
371036	52 Inch Carved Wood Blade Set
371037	52 Inch Carved Wood Blade Set
371038	52 Inch Carved Wood Blade Set
371039	52 Inch Carved Wood Blade Set
371070	52 In Canfield Accessory Blade

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
370040	4 Speed Rotary Switch 10 AMP

Canfield Collection
52 Inch Canfield Ceiling Fan
300117WH (White)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Product ID	Descr
371033	52in Shadowed Cherry Blade
3R200BSS	CoolTouch Control System R200