
Carlson Collection 52 Inch Carlson Fan AP

300138AP (Antique Pewter)

Dimensions



Downrod	Α	В	С	D
1.00 OD X 4.00	16.50	10.88	11.75	6.53

Available Finishes

Finish Fixture Glass	Blade 1 Blade 2
----------------------	-----------------

Project Name:	
ocation:	
ype:	
Ωty:	
Comments:	

Product Information

Product ID	300138AP
Finish	Antique Pewter
Blade Finish	Light Cherry/Dark Cherry
Collection	Carlson Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	200	6308	90	.6	70
Med	125	4127	134	.46	31
Low	65	2093	196	.29	11

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	13 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 4.00
Primary Control System	3 Speed Cooltouch Ltd Function
Remote Included	Yes
Wall Control Included	No
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	172MM X 17MM
Motor Type	AC

Downlight

Yes
Fluorescent
Included
CFL
2
13W
Etched Cased Opal
No


Safety Listings & Certifications



7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010 Toll free: 866.558.5706 or kichler.com

Notes

Information provided is subject to change without notice.
 All values are design or typical values when measured under laboratory conditions.





Carlson Collection 52 Inch Carlson Fan AP

300138AP (Antique Pewter)

Finish	Fixture	Glass	Blade 1	Blade 2
Antique Pewter	300138AP	ETCHED CASED OPAL	LIGHT CHERRY	DARK CHERRY
Oiled Bronze	300138OLZ	ETCHED CASED OPAL	MEDIUM CHERRY	MAHOGANY

Control Options

Product ID	Descr
370039MULTR	Wall Transmitter L-Function
371042MUL	56K Wall Control System Basic

Location:	
Туре:	
Qty:	
Comments:	
Safety Rated	Dry
Warranty	www.kichler.com/warranty
Installation	
Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	22.77 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Project Name: _




Carlson Collection 52 Inch Carlson Fan OLZ

300138OLZ (Oiled Bronze)



Dimensions



Downrod	Α	В	С	D
1.00 OD X 4.00	16.50	10.88	11.75	6.53

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2

Project Name:	
Location:	
Туре:	
Qty:	
Comments:	

Product Information

Product ID	300138OLZ
Finish	Oiled Bronze
Blade Finish	Medium Cherry/Mahogany
Collection	Carlson Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	200	6308	90	.6	70
Med	125	4127	134	.46	31
Low	65	2093	196	.29	11

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	13 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 4.00
Primary Control System	3 Speed Cooltouch Ltd Function
Remote Included	Yes
Wall Control Included	No
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	172MM X 17MM
Motor Type	AC

Downlight

Downlight Included	Yes
Light Source	Fluorescent
Downlight Bulb Included	Included
Downlight Bulb Type	CFL
Number of Lights/LEDs	2
Max or Nominal Watt	13W
Glass Description	Etched Cased Opal
Optional Light Kit Available	No

Safety Listings & Certifications



7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010 Toll free: 866.558.5706 or kichler.com

Notes

Information provided is subject to change without notice.

All values are design or typical values when measured under laboratory conditions.

Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.



Carlson Collection 52 Inch Carlson Fan OLZ

300138OLZ (Oiled Bronze)

Finish	Fixture	Glass	Blade 1	Blade 2
Antique Pewter	300138AP	ETCHED CASED OPAL	LIGHT CHERRY	DARK CHERRY
Oiled Bronze	300138OLZ	ETCHED CASED OPAL	MEDIUM CHERRY	MAHOGANY

Control Options

Product ID	Descr
370039MULTR	Wall Transmitter L-Function
371042MUL	56K Wall Control System Basic

Dry
www.kichler.com/warranty
The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
120V 60Hz AC
22.77 LBS
7.5 feet

Project Name: _

