

Arkwright Collection
Arkwright Fan AP
300146AP (Antique Pewter)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Product Information

Product ID	300146AP
Finish	Antique Pewter
Blade Finish	Walnut
Collection	Arkwright Collection

Specifications

Number of Blades	3
Blade Pitch	13 Degrees
Blades Reversible	No
Optional Blades Available	Yes
Downrod 1	1.00 OD X 4.00
Primary Control System	6 Speed Dc Cooltouch
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	125
Motor Type	DC

Downlight

Downlight Option	Yes
Optional Light Kit Available	Yes


Safety Listings & Certifications

Safety Rated	Dry
Energy Star	Yes
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	12.3 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Dimensions



Downrod	A	B	C	D
1.00 OD X 4.00	15.25	12.75	7.50	5.85

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Antique Pewter	300146AP			

Arkwright Collection
Arkwright Fan AP
300146AP (Antique Pewter)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Polished Nickel	300146PN			
White	300146WH			
Oil Brushed Bronze	300146OBB			

Accessory Blade Options

Product ID	Descr
370025AP	38 In. Ply Blade for Arkwright
370025OBB	38 In. Ply Blade for Arkwright
370025PN	38 In. Ply Blade for Arkwright
370025WH	38 In. Ply Blade for Arkwright
370026AP	48 In. Ply Blade for Arkwright
370026OBB	48 In. Ply Blade for Arkwright
370026PN	48 In. Ply Blade for Arkwright
370026WH	48 In. Ply Blade for Arkwright
370027AP	58 In. Ply Blade for Arkwright
370027OBB	58 In. Ply Blade for Arkwright
370027PN	58 In. Ply Blade for Arkwright
370027WH	58 In. Ply Blade for Arkwright
370028AP	38 In. PC Blade for Arkwright
370028OBB	38 In. PC Blade for Arkwright
370028PN	38 In. PC Blade for Arkwright
370028WH	38 In. PC Blade for Arkwright
370029AP	48 In. PC Blade for Arkwright
370029OBB	48 In. PC Blade for Arkwright
370029PN	48 In. PC Blade for Arkwright
370029WH	48 In. PC Blade for Arkwright
370030AP	58 In. PC Blade for Arkwright
370030OBB	58 In. PC Blade for Arkwright
370030PN	58 In. PC Blade for Arkwright
370030WH	58 In. PC Blade for Arkwright

Control Options

Product ID	Descr
370036ALM	6 Speed DC125 Wall System

Arkwright Collection
Arkwright Fan AP
300146AP (Antique Pewter)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Product ID	Descr
370036IV	6 Speed DC125 Wall System
370036WH	6 Speed DC125 Wall System

Lighting Options

Product ID	Descr
338203AP	Arkwright LED Fan Fixture
380046AP	Optional CFL Light Fixture
380047AP	Optional Halogen Fixture

Arkwright Collection
Arkwright Fan OBB
300146OBB (Oil Brushed Bronze)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Product Information

Product ID	300146OBB
Finish	Oil Brushed Bronze
Blade Finish	Walnut
Collection	Arkwright Collection

Specifications

Number of Blades	3
Blade Pitch	13 Degrees
Blades Reversible	No
Optional Blades Available	Yes
Downrod 1	1.00 OD X 4.00
Primary Control System	6 Speed Dc Cooltouch
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	125
Motor Type	DC

Downlight

Downlight Option	Yes
Optional Light Kit Available	Yes


Safety Listings & Certifications

Safety Rated	Dry
Energy Star	Yes
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	12.3 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Dimensions



Downrod	A	B	C	D
1.00 OD X 4.00	15.25	12.75	7.50	5.85

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Antique Pewter	300146AP			

Arkwright Collection
Arkwright Fan OBB
300146OBB (Oil Brushed Bronze)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Polished Nickel	300146PN			
White	300146WH			
Oil Brushed Bronze	300146OBB			

Accessory Blade Options

Product ID	Descr
370025AP	38 In. Ply Blade for Arkwright
370025OBB	38 In. Ply Blade for Arkwright
370025PN	38 In. Ply Blade for Arkwright
370025WH	38 In. Ply Blade for Arkwright
370026AP	48 In. Ply Blade for Arkwright
370026OBB	48 In. Ply Blade for Arkwright
370026PN	48 In. Ply Blade for Arkwright
370026WH	48 In. Ply Blade for Arkwright
370027AP	58 In. Ply Blade for Arkwright
370027OBB	58 In. Ply Blade for Arkwright
370027PN	58 In. Ply Blade for Arkwright
370027WH	58 In. Ply Blade for Arkwright
370028AP	38 In. PC Blade for Arkwright
370028OBB	38 In. PC Blade for Arkwright
370028PN	38 In. PC Blade for Arkwright
370028WH	38 In. PC Blade for Arkwright
370029AP	48 In. PC Blade for Arkwright
370029OBB	48 In. PC Blade for Arkwright
370029PN	48 In. PC Blade for Arkwright
370029WH	48 In. PC Blade for Arkwright
370030AP	58 In. PC Blade for Arkwright
370030OBB	58 In. PC Blade for Arkwright
370030PN	58 In. PC Blade for Arkwright
370030WH	58 In. PC Blade for Arkwright

Control Options

Product ID	Descr
370036ALM	6 Speed DC125 Wall System

Arkwright Collection
Arkwright Fan OBB
300146OBB (Oil Brushed Bronze)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Product ID	Descr
370036IV	6 Speed DC125 Wall System
370036WH	6 Speed DC125 Wall System

Lighting Options

Product ID	Descr
338203AP	Arkwright LED Fan Fixture
380046AP	Optional CFL Light Fixture
380047AP	Optional Halogen Fixture

Arkwright Collection
Arkwright Fan PN
300146PN (Polished Nickel)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Product Information

Product ID	300146PN
Finish	Polished Nickel
Blade Finish	Walnut
Collection	Arkwright Collection

Specifications

Number of Blades	3
Blade Pitch	13 Degrees
Blades Reversible	No
Optional Blades Available	Yes
Downrod 1	1.00 OD X 4.00
Primary Control System	6 Speed Dc Cooltouch
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	125
Motor Type	DC

Downlight

Downlight Option	Yes
Optional Light Kit Available	Yes


Safety Listings & Certifications

Safety Rated	Dry
Energy Star	Yes
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	12.3 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Dimensions



Downrod	A	B	C	D
1.00 OD X 4.00	15.25	12.75	7.50	5.85

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Antique Pewter	300146AP			

Arkwright Collection
Arkwright Fan PN
300146PN (Polished Nickel)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Polished Nickel	300146PN			
White	300146WH			
Oil Brushed Bronze	300146OBB			

Accessory Blade Options

Product ID	Descr
370025AP	38 In. Ply Blade for Arkwright
370025OBB	38 In. Ply Blade for Arkwright
370025PN	38 In. Ply Blade for Arkwright
370025WH	38 In. Ply Blade for Arkwright
370026AP	48 In. Ply Blade for Arkwright
370026OBB	48 In. Ply Blade for Arkwright
370026PN	48 In. Ply Blade for Arkwright
370026WH	48 In. Ply Blade for Arkwright
370027AP	58 In. Ply Blade for Arkwright
370027OBB	58 In. Ply Blade for Arkwright
370027PN	58 In. Ply Blade for Arkwright
370027WH	58 In. Ply Blade for Arkwright
370028AP	38 In. PC Blade for Arkwright
370028OBB	38 In. PC Blade for Arkwright
370028PN	38 In. PC Blade for Arkwright
370028WH	38 In. PC Blade for Arkwright
370029AP	48 In. PC Blade for Arkwright
370029OBB	48 In. PC Blade for Arkwright
370029PN	48 In. PC Blade for Arkwright
370029WH	48 In. PC Blade for Arkwright
370030AP	58 In. PC Blade for Arkwright
370030OBB	58 In. PC Blade for Arkwright
370030PN	58 In. PC Blade for Arkwright
370030WH	58 In. PC Blade for Arkwright

Control Options

Product ID	Descr
370036ALM	6 Speed DC125 Wall System

Arkwright Collection
Arkwright Fan PN
300146PN (Polished Nickel)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Product ID	Descr
370036IV	6 Speed DC125 Wall System
370036WH	6 Speed DC125 Wall System

Lighting Options

Product ID	Descr
338203AP	Arkwright LED Fan Fixture
380046AP	Optional CFL Light Fixture
380047AP	Optional Halogen Fixture

Arkwright Collection
Arkwright Fan WH
300146WH (White)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Product Information

Product ID	300146WH
Finish	White
Blade Finish	Walnut
Collection	Arkwright Collection

Specifications

Number of Blades	3
Blade Pitch	13 Degrees
Blades Reversible	No
Optional Blades Available	Yes
Downrod 1	1.00 OD X 4.00
Primary Control System	6 Speed Dc Cooltouch
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	125
Motor Type	DC

Downlight

Downlight Option	Yes
Optional Light Kit Available	Yes


Safety Listings & Certifications

Safety Rated	Dry
Energy Star	Yes
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	12.3 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Dimensions



Downrod	A	B	C	D
1.00 OD X 4.00	15.25	12.75	7.50	5.85

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Antique Pewter	300146AP			

Arkwright Collection
Arkwright Fan WH
300146WH (White)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Polished Nickel	300146PN			
White	300146WH			
Oil Brushed Bronze	300146OBB			

Accessory Blade Options

Product ID	Descr
370025AP	38 In. Ply Blade for Arkwright
370025OBB	38 In. Ply Blade for Arkwright
370025PN	38 In. Ply Blade for Arkwright
370025WH	38 In. Ply Blade for Arkwright
370026AP	48 In. Ply Blade for Arkwright
370026OBB	48 In. Ply Blade for Arkwright
370026PN	48 In. Ply Blade for Arkwright
370026WH	48 In. Ply Blade for Arkwright
370027AP	58 In. Ply Blade for Arkwright
370027OBB	58 In. Ply Blade for Arkwright
370027PN	58 In. Ply Blade for Arkwright
370027WH	58 In. Ply Blade for Arkwright
370028AP	38 In. PC Blade for Arkwright
370028OBB	38 In. PC Blade for Arkwright
370028PN	38 In. PC Blade for Arkwright
370028WH	38 In. PC Blade for Arkwright
370029AP	48 In. PC Blade for Arkwright
370029OBB	48 In. PC Blade for Arkwright
370029PN	48 In. PC Blade for Arkwright
370029WH	48 In. PC Blade for Arkwright
370030AP	58 In. PC Blade for Arkwright
370030OBB	58 In. PC Blade for Arkwright
370030PN	58 In. PC Blade for Arkwright
370030WH	58 In. PC Blade for Arkwright

Control Options

Product ID	Descr
370036ALM	6 Speed DC125 Wall System

Arkwright Collection
Arkwright Fan WH
300146WH (White)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Product ID	Descr
370036IV	6 Speed DC125 Wall System
370036WH	6 Speed DC125 Wall System

Lighting Options

Product ID	Descr
338203AP	Arkwright LED Fan Fixture
380046AP	Optional CFL Light Fixture
380047AP	Optional Halogen Fixture