### 60 Inch Trevor Fan BSS

300156BSS (Brushed Stainless Steel)

Project Name:	
Location:	
Туре:	
Qty:	
Comments:	

## **Product Information**

Product ID	300156BSS
Finish	Brushed Stainless Steel
Blade Finish	Walnut Stain/Non-Reversible

#### Airflow, Power and Efficiency

- 1	,					
	Speed	RPM	CFM	CFM/ Watt	Amps	Watts
	High	138	6148	186	.47	33
	Med	83	3261	326	.16	10
	Low	47	1834	458	.07	4

### **Specifications**


Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	60"
Blades Reversible	No
Blade Material	SOLID WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 6.00
Primary Control System	6 Speed Dc Cooltouch
Remote Included	Yes
Wall Control Included	No
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	165M
Motor Type	DC

## Downlight

Downlight Included	Yes
Light Source	Halogen
Downlight Bulb Included	Included
Downlight Bulb Type	T3
Number of Lights/LEDs	4
Max or Nominal Watt	40W
Glass Description	Etched Opal
Optional Light Kit Available	No



#### **Dimensions**



Downrod	Α	В	С	D
1.00 OD X 6.00	15.67	11.24	13.98	5.85

### 60 Inch Trevor Fan BSS

300156BSS (Brushed Stainless Steel)

Project Name:	
Location:	
Туре:	
Qty:	
Comments:	

### **Available Finishes**

Finish	Fixture	Glass	Blade 1	Blade 2
Brushed Stainless Steel	300156BSS	ETCHED CASED OPAL	WALNUT STAIN	NON- REVERSIBLE
Oil Brushed Bronze	300156OBB	ETCHED CASED OPAL	WALNUT STAIN	NON- REVERSIBLE

# **Control Options**

Product ID	Descr
370100ALM	6 Speed DC165 Wall System
370100IV	6 Speed DC165 Wall System
370100WH	6 Speed DC165 Wall System

#### Safety Listings & Certifications

Floor

Safety Rated	Dry
Warranty	www.kichler.com/warranty
Installation	
Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	25.3 LBS
Minimum Distance Between Bottom Of Fan Blade To	7.5 feet



### 60 Inch Trevor Fan OBB

300156OBB (Oil Brushed Bronze)

Project Name:	:
Location:	
Туре:	
Qty:	
Comments: _	

## **Product Information**

Product ID	300156OBB
Finish	Oil Brushed Bronze
Blade Finish	Walnut Stain/Non-Reversible

#### Airflow, Power and Efficiency

•	7 timow, i owor and Emolority					
	Speed	RPM	CFM	CFM/ Watt	Amps	Watts
	High	138	6148	186	.47	33
	Med	83	3261	326	.16	10
	Low	47	1834	458	.07	4

#### **Specifications**


Opcomodiono	
Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	60"
Blades Reversible	No
Blade Material	SOLID WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 6.00
Primary Control System	6 Speed Dc Cooltouch
Remote Included	Yes
Wall Control Included	No
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	165M
Motor Type	DC

## Downlight

Downlight Included	Yes
Light Source	Halogen
Downlight Bulb Included	Included
Downlight Bulb Type	T3
Number of Lights/LEDs	4
Max or Nominal Watt	40W
Glass Description	Etched Opal
Optional Light Kit Available	No



#### **Dimensions**



Downrod	Α	В	С	D
1.00 OD X 6.00	15.67	11.24	13.98	5.85

### 60 Inch Trevor Fan OBB

300156OBB (Oil Brushed Bronze)

Project Name:				
Location:				
Type:				
Qty:				
Comments:				

### **Available Finishes**

Finish	Fixture	Glass	Blade 1	Blade 2
Brushed Stainless Steel	300156BSS	ETCHED CASED OPAL	WALNUT STAIN	NON- REVERSIBLE
Oil Brushed Bronze	300156OBB	ETCHED CASED OPAL	WALNUT STAIN	NON- REVERSIBLE

## **Control Options**

S S T T S S S S S S S S S S S S S S S S		
Product ID	Descr	
370100ALM	6 Speed DC165 Wall System	
370100IV	6 Speed DC165 Wall System	
370100WH	6 Speed DC165 Wall System	

#### Safety Listings & Certifications

Floor

Dalety Listings & Certifications		
Safety Rated	Dry	
Warranty	www.kichler.com/warranty	
Installation		
Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""	
Electrical Requirements	120V 60Hz AC	
Hanging Weight	25.3 LBS	
Minimum Distance Between Bottom Of Fan Blade To	7.5 feet	