

Frey Collection  
56 Inch Frey Fan NI  
300163NI (Brushed Nickel)

Project Name: \_\_\_\_\_  
Location: \_\_\_\_\_  
Type: \_\_\_\_\_  
Qty: \_\_\_\_\_  
Comments: \_\_\_\_\_

Product Information

Product ID	300163NI
Finish	Brushed Nickel
Blade Finish	Silver/Non-Reversible
Collection	Frey Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	135	5527	170	.44	33
Med	83	2926	276	.16	11
Low	50	1515	337	.06	5

Specifications

Number of Blades	3
Blades Included	Yes
Blade Pitch	20 Degrees
Blade Sweep	56"
Blades Reversible	No
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 6.00
Primary Control System	6 Speed Dc Cooltouch
Remote Included	Yes
Wall Control Included	No
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	125
Motor Type	DC

Downlight


Downlight Included	Yes
Light Source	Halogen
Downlight Bulb Included	Included
Downlight Bulb Type	MR16
Number of Lights/LEDs	1
Max or Nominal Watt	50W
Optional Light Kit Available	No

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty



Dimensions



Downrod	A	B	C	D
1.00 OD X 6.00	16.75	16.00	6.00	5.90

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Brushed Nickel	300163NI	N/A	SILVER	NON-REVERSIBLE

Frey Collection  
56 Inch Frey Fan NI  
300163NI (Brushed Nickel)

Project Name: \_\_\_\_\_  
Location: \_\_\_\_\_  
Type: \_\_\_\_\_  
Qty: \_\_\_\_\_  
Comments: \_\_\_\_\_

Finish	Fixture	Glass	Blade 1	Blade 2
Oil Brushed Bronze	300163OBB	N/A	WALNUT	NON-REVERSIBLE
Brushed Nickel	300163NI220		SILVER	NON-REVERSIBLE
Oil Brushed Bronze	300163OBB220		WALNUT	NON-REVERSIBLE
White	300163WH220		CHERRY	NON-REVERSIBLE

Control Options

Product ID	Descr
370036ALMTR	6 Speed DC Wall Transmitter
370036IVTR	6 Speed DC Wall Transmitter
370036WHTR	6 Speed DC Wall Transmitter

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	28.6 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Frey Collection

56 Inch Frey Fan OBB

300163OBB (Oil Brushed Bronze)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_

Product Information

Product ID	300163OBB
Finish	Oil Brushed Bronze
Blade Finish	Walnut/Non-Reversible
Collection	Frey Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	135	5527	170	.44	33
Med	83	2926	276	.16	11
Low	50	1515	337	.06	5

Specifications

Number of Blades	3
Blades Included	Yes
Blade Pitch	20 Degrees
Blade Sweep	56"
Blades Reversible	No
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 6.00
Primary Control System	6 Speed Dc Cooltouch
Remote Included	Yes
Wall Control Included	No
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	125
Motor Type	DC

Downlight


Downlight Included	Yes
Light Source	Halogen
Downlight Bulb Included	Included
Downlight Bulb Type	MR16
Number of Lights/LEDs	1
Max or Nominal Watt	50W
Optional Light Kit Available	No

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty



Dimensions



Downrod	A	B	C	D
1.00 OD X 6.00	16.75	16.00	6.00	5.90

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Brushed Nickel	300163NI	N/A	SILVER	NON-REVERSIBLE

Kichler

7711 East Pleasant Valley Road  
Cleveland, Ohio 44131-8010  
Toll free: 866.558.5706 or kichler.com

Notes:

1) Information provided is subject to change without notice.  
All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

KICHLER

Frey Collection  
56 Inch Frey Fan OBB  
300163OBB (Oil Brushed Bronze)

Project Name: \_\_\_\_\_  
Location: \_\_\_\_\_  
Type: \_\_\_\_\_  
Qty: \_\_\_\_\_  
Comments: \_\_\_\_\_

Finish	Fixture	Glass	Blade 1	Blade 2
Oil Brushed Bronze	300163OBB	N/A	WALNUT	NON-REVERSIBLE
Brushed Nickel	300163NI220		SILVER	NON-REVERSIBLE
Oil Brushed Bronze	300163OBB220		WALNUT	NON-REVERSIBLE
White	300163WH220		CHERRY	NON-REVERSIBLE

Control Options

Product ID	Descr
370036ALMTR	6 Speed DC Wall Transmitter
370036IVTR	6 Speed DC Wall Transmitter
370036WHTR	6 Speed DC Wall Transmitter

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	28.6 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet