

Harbour Walk Patio Collection

52 Inch Harbour Walk Patio Fan GST

310102GST (Galvanized Steel)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_

Product Information

Product ID	310102GST
Finish	Galvanized Steel
Blade Finish	Cherry/Walnut
Collection	Harbour Walk Patio Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	184	6049	82	.62	74
Med	117	3827	116	.48	33
Low	58	1610	146	.3	11

Specifications


Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 8.00
Primary Control System	3 Speed Cooltouch Full Functn
Remote Included	Yes
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	188MM X 20MM
Motor Type	AC

Downlight

Downlight Included	Yes
Light Source	Incandescent
Downlight Bulb Included	Included
Downlight Bulb Type	T3
Number of Lights/LEDs	4
Max or Nominal Watt	40W
Glass Description	Fresnel Lens
Optional Light Kit Available	No



Dimensions



Downrod	A	B	C	D
1.00 OD X 8.00	19.50	13.00	16.00	6.00

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
--------	---------	-------	---------	---------

Harbour Walk Patio Collection

52 Inch Harbour Walk Patio Fan GST

310102GST (Galvanized Steel)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_

Finish	Fixture	Glass	Blade 1	Blade 2
Galvanized Steel	310102GST	FRESNEL LENS	CHERRY	WALNUT
Tannery Bronze Powder Coat	310102TZP	FRESNEL LENS	CHERRY	LIGHT WALNUT
Weathered Copper Powder Coat	310102WCP	FRESNEL LENS	LIGHT WALNUT	DARK WALNUT

Control Options

Product ID	Descr
370038MULTR	Wall Transmitter F-Function

Safety Listings & Certifications

Safety Rated	Wet
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	31.24 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Harbour Walk Patio Collection

52 Inch Harbour Walk Patio Fan TZP

310102TZP (Tannery Bronze Powder Coat)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_

Product Information

Product ID	310102TZP
Finish	Tannery Bronze Powder Coat
Blade Finish	Cherry/Light Walnut
Collection	Harbour Walk Patio Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	184	6049	82	.62	74
Med	117	3827	116	.48	33
Low	58	1610	146	.3	11

Specifications


Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 8.00
Primary Control System	3 Speed Cooltouch Full Functn
Remote Included	Yes
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	188MM X 20MM
Motor Type	AC

Downlight

Downlight Included	Yes
Light Source	Incandescent
Downlight Bulb Included	Included
Downlight Bulb Type	T3
Number of Lights/LEDs	4
Max or Nominal Watt	40W
Glass Description	Fresnel Lens
Optional Light Kit Available	No



Dimensions



Downrod	A	B	C	D
1.00 OD X 8.00	19.50	13.00	16.00	6.00

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
--------	---------	-------	---------	---------

Harbour Walk Patio Collection

52 Inch Harbour Walk Patio Fan TZP

310102TZP (Tannery Bronze Powder Coat)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_

Finish	Fixture	Glass	Blade 1	Blade 2
Galvanized Steel	310102GST	FRESNEL LENS	CHERRY	WALNUT
Tannery Bronze Powder Coat	310102TZP	FRESNEL LENS	CHERRY	LIGHT WALNUT
Weathered Copper Powder Coat	310102WCP	FRESNEL LENS	LIGHT WALNUT	DARK WALNUT

Control Options

Product ID	Descr
370038MULTR	Wall Transmitter F-Function

Safety Listings & Certifications

Safety Rated	Wet
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	31.24 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Harbour Walk Patio Collection

52 Inch Harbour Walk Patio Fan WCP

310102WCP (Weathered Copper Powder Coat)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_


Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_



Dimensions



Downrod	A	B	C	D
1.00 OD X 8.00	19.50	13.00	16.00	6.00

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
--------	---------	-------	---------	---------

Product Information

Product ID	310102WCP
Finish	Weathered Copper Powder Coat
Blade Finish	Light Walnut/Dark Walnut
Collection	Harbour Walk Patio Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	184	6049	82	.62	74
Med	117	3827	116	.48	33
Low	58	1610	146	.3	11

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 8.00
Primary Control System	3 Speed Cooltouch Full Functn
Remote Included	Yes
Wall Control Included	No
Low Ceiling Adaptable	Yes, With Optional Flush Mount
Lead Wire Length	78.00"
Motor Size	188MM X 20MM
Motor Type	AC

Downlight

Downlight Included	Yes
Light Source	Incandescent
Downlight Bulb Included	Included
Downlight Bulb Type	T3
Number of Lights/LEDs	4
Max or Nominal Watt	40W
Glass Description	Fresnel Lens

Harbour Walk Patio Collection

52 Inch Harbour Walk Patio Fan WCP

310102WCP (Weathered Copper Powder Coat)

Project Name: \_\_\_\_\_

Location: \_\_\_\_\_

Type: \_\_\_\_\_

Qty: \_\_\_\_\_

Comments: \_\_\_\_\_

Galvanized Steel	310102GST	FRESNEL LENS	CHERRY	WALNUT
Tannery Bronze Powder Coat	310102TZP	FRESNEL LENS	CHERRY	LIGHT WALNUT
Weathered Copper Powder Coat	310102WCP	FRESNEL LENS	LIGHT WALNUT	DARK WALNUT

Control Options

Product ID	Descr
370038MULTR	Wall Transmitter F-Function

Optional Light Kit Available    No

Safety Listings & Certifications

Safety Rated	Wet
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	31.24 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet