


Seaside Collection
54 Inch Seaside Fan NI
310131NI (Brushed Nickel)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions



Downrod	A	B	C	D
1.00 OD X 6.00	19.00	10.00	15.00	5.19
1.00 OD X 12.00	25.00	16.00	15.00	5.19

Product Information

Product ID	310131NI
Finish	Brushed Nickel
Blade Finish	Walnut/Non-Reversible
Collection	Seaside Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	176	5604	96	.49	59
Med	121	4030	131	.36	31
Low	69	2267	197	.22	12

Specifications

Number of Blades	4
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	54"
Blades Reversible	No
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 6.00
Downrod 2	1.00 OD X 12.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	188MM X 20MM
Motor Type	AC

Downlight

Downlight Included	Yes
Light Source	Compact Fluorescent
Downlight Bulb Included	Included
Downlight Bulb Type	GU24
Number of Lights/LEDs	1
Max or Nominal Watt	18W
Glass Description	Cased Opal
Optional Light Kit Available	No

Seaside Collection

54 Inch Seaside Fan NI

310131NI (Brushed Nickel)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Brushed Nickel	310131NI	CASED OPAL	WALNUT	NON-REVERSIBLE
Olde Bronze	310131OZ	CASED OPAL	WALNUT	NON REVERSABLE

Control Options

Product ID	Descr
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function

Safety Listings & Certifications

Safety Rated	Wet
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	28.4 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Seaside Collection

54 Inch Seaside Fan OZ

310131OZ (Olde Bronze)

Project Name: _____

Location: _____


Type: _____

Qty: _____

Comments: _____



Dimensions



Downrod	A	B	C	D
1.00 OD X 6.00	19.00	10.00	15.00	5.19
1.00 OD X 12.00	25.00	16.00	15.00	5.19

Product Information

Product ID	310131OZ
Finish	Olde Bronze
Blade Finish	Walnut/Non-Reversible
Collection	Seaside Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	176	5604	96	.49	59
Med	121	4030	131	.36	31
Low	69	2267	197	.22	12

Specifications

Number of Blades	4
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	54"
Blades Reversible	No
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 6.00
Downrod 2	1.00 OD X 12.00
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	188MM X 20MM
Motor Type	AC

Downlight

Downlight Included	Yes
Light Source	Compact Fluorescent
Downlight Bulb Included	Included
Downlight Bulb Type	GU24
Number of Lights/LEDs	1
Max or Nominal Watt	18W
Glass Description	Cased Opal
Optional Light Kit Available	No

Seaside Collection

54 Inch Seaside Fan OZ

310131OZ (Olde Bronze)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Brushed Nickel	310131NI	CASED OPAL	WALNUT	NON-REVERSIBLE
Olde Bronze	310131OZ	CASED OPAL	WALNUT	NON REVERSABLE

Control Options

Product ID	Descr
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function

Safety Listings & Certifications

Safety Rated	Wet
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	28.4 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet