

Stratmoor 52" Collection
52 Inch Stratmoor Fan BSS
339022BSS (Brushed Stainless Steel)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Product Information

Product ID	339022BSS
Finish	Brushed Stainless Steel
Blade Finish	Medium Oak/Dark Oak
Collection	Stratmoor 52" Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	160	4830	82	.49	59
Med	110	3323	119	.35	28
Low	63	1779	187	.2	10

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	FLUSH MOUNT
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, Low Ceiling Adaptable
Lead Wire Length	12.00"
Motor Size	153MM X 15MM
Motor Type	AC

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications


Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds.
---------------------------	---



Dimensions



Downrod	A	B	C	D
FLUSH MOUNT	8.25	6.75	11.50	11.00

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
--------	---------	-------	---------	---------

Stratmoor 52" Collection

52 Inch Stratmoor Fan BSS

339022BSS (Brushed Stainless Steel)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Brushed Stainless Steel	339022BSS	N/A	MEDIUM OAK	DARK OAK
Oil Brushed Bronze	339022OBB	N/A	WALNUT	CHERRY
White	339022WH	N/A	WHITE	WHITE
Matte White	339022MWH		MATTE WHITE	MATTE WHITE

	Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	14.4 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
370040	4 Speed Rotary Switch 10 AMP
3R400BSS	CoolTouch Control System R400

Stratmoor 52" Collection
52" Stratmoor Ceiling Fan MWH
339022MWH

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Product Information

Product ID	339022MWH
Blade Finish	Matte White/Matte White
Collection	Stratmoor 52" Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	160	4830	82	.49	59
Med	110	3323	119	.35	28
Low	63	1779	187	.2	10

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	FLUSH MOUNT
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, Low Ceiling Adaptable
Lead Wire Length	12.00"
Motor Size	153MM X 15MM
Motor Type	AC

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty


Installation

Installation requirements

The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed



Dimensions



Downrod	A	B	C	D
FLUSH MOUNT	8.25	6.75	11.50	11.00

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
--------	---------	-------	---------	---------

Stratmoor 52" Collection

52" Stratmoor Ceiling Fan MWH

339022MWH

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Brushed Stainless Steel	339022BSS	N/A	MEDIUM OAK	DARK OAK
Oil Brushed Bronze	339022OBB	N/A	WALNUT	CHERRY
White	339022WH	N/A	WHITE	WHITE
Matte White	339022MWH		MATTE WHITE	MATTE WHITE

	electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	14.4 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
370040	4 Speed Rotary Switch 10 AMP
3R400BSS	CoolTouch Control System R400

Stratmoor 52" Collection

52 Inch Stratmoor Fan OBB

339022OBB (Oil Brushed Bronze)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Product Information

Product ID	339022OBB
Finish	Oil Brushed Bronze
Blade Finish	Walnut/Cherry
Collection	Stratmoor 52" Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	160	4830	82	.49	59
Med	110	3323	119	.35	28
Low	63	1779	187	.2	10

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	FLUSH MOUNT
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, Low Ceiling Adaptable
Lead Wire Length	12.00"
Motor Size	153MM X 15MM
Motor Type	AC

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications


Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds.

Installation requirements

Dimensions



Downrod	A	B	C	D
FLUSH MOUNT	8.25	6.75	11.50	11.00

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
--------	---------	-------	---------	---------

Stratmoor 52" Collection

52 Inch Stratmoor Fan OBB

339022OBB (Oil Brushed Bronze)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Brushed Stainless Steel	339022BSS	N/A	MEDIUM OAK	DARK OAK
Oil Brushed Bronze	339022OBB	N/A	WALNUT	CHERRY
White	339022WH	N/A	WHITE	WHITE
Matte White	339022MWH		MATTE WHITE	MATTE WHITE

	Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	14.4 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Control Options


Product ID	Descr
337001WH	Universal Remote Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
370040	4 Speed Rotary Switch 10 AMP
3R400BSS	CoolTouch Control System R400

Stratmoor 52" Collection
52 Inch Stratmoor Fan WH
339022WH (White)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____



Dimensions



Downrod	A	B	C	D
FLUSH MOUNT	8.25	6.75	11.50	11.00

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
--------	---------	-------	---------	---------

Product Information

Product ID	339022WH
Finish	White
Blade Finish	White/White
Collection	Stratmoor 52" Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	160	4830	82	.49	59
Med	110	3323	119	.35	28
Low	63	1779	187	.2	10

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	14 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	FLUSH MOUNT
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, Low Ceiling Adaptable
Lead Wire Length	12.00"
Motor Size	153MM X 15MM
Motor Type	AC

Downlight

Optional Light Kit Available	No
------------------------------	----

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds.

Installation requirements

Stratmoor 52" Collection

52 Inch Stratmoor Fan WH

339022WH (White)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Finish	Fixture	Glass	Blade 1	Blade 2
Brushed Stainless Steel	339022BSS	N/A	MEDIUM OAK	DARK OAK
Oil Brushed Bronze	339022OBB	N/A	WALNUT	CHERRY
White	339022WH	N/A	WHITE	WHITE
Matte White	339022MWH		MATTE WHITE	MATTE WHITE

	Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	14.4 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
370040	4 Speed Rotary Switch 10 AMP
3R400BSS	CoolTouch Control System R400