

52" Basics Premier Collection
52" Basics Premier Ceiling Fan MWH
402MWH

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Product Information

Product ID	402MWH
Blade Finish	Matte White/Matte White
Collection	52" Basics Premier Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	166	4331	74	.49	59
Med	123	3101	91	.38	34
Low	65	1482	131	.22	11

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	12 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	.75 OD X 4.00
Downrod 2	FLUSH MOUNT
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, Dual Mount Included
Lead Wire Length	78.00"
Motor Size	153MM X 13MM
Motor Type	AC

Downlight


Downlight Included	Yes
Light Source	Incandescent
Downlight Bulb Included	Included
Downlight Bulb Type	B10
Number of Lights/LEDs	4
Max or Nominal Watt	40W
Glass Description	White Etched
Optional Light Kit Available	No

Safety Listings & Certifications

Safety Rated	Dry
--------------	-----



Dimensions



Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
--------	---------	-------	---------	---------

Kichler
7711 East Pleasant Valley Road
Cleveland, Ohio 44131-8010
Toll free: 866.558.5706 or kichler.com

Notes:
1) Information provided is subject to change without notice.
All values are design or typical values when measured under laboratory conditions.
2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

KICHLER

52" Basics Premier Collection
52" Basics Premier Ceiling Fan MWH
402MWH

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Brushed Nickel	402NI7	WHITE ETCHED	CHERRY	WALNUT
Satin Natural Bronze	402SNB	WHITE ETCHED	DARK CHERRY	TEAK
Satin Natural White	402SNW	WHITE ETCHED	SATIN NAT WHITE	SATIN NAT WHITE
Satin Natural Bronze	402SNBU	UMBER ETCHED	DARK CHERRY	TEAK
White	402WH1	WHITE ETCHED	WHITE	WHITE
Matte White	402MWH	WHITE ETCHED	MATTE WHITE	MATTE WHITE

Warranty	www.kichler.com/warranty
----------	--------------------------

Installation	
Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Hanging Weight	17.6 LBS
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337010ALM	Fan 4 Speed-Light Dimmer
337010IV	Fan 4 Speed-Light Dimmer
337010WH	Fan 4 Speed-Light Dimmer
337011ALM	Fan Light Dimmer Control
337011IV	Fan Light Dimmer Control
337011WH	Fan Light Dimmer Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
371042MUL	56K Wall Control System Basic

52" Basics Premier Collection
52 Inch Kichler Basics Premier Ceiling Fan NI7
402NI7 (Brushed Nickel)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Product Information

Product ID	402NI7
Finish	Brushed Nickel
Blade Finish	Medium Walnut,Cherry
Collection	52" Basics Premier Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	166	4331	74	.49	59
Med	123	3101	91	.38	34
Low	65	1482	131	.22	11

Specifications

Number of Blades	5
Blade Pitch	12 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	.75 OD X 4.00
Downrod 2	FLUSH MOUNT
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, Dual Mount Included
Motor Size	153MM X 13MM
Motor Type	AC

Downlight

Light Source	Incandescent
Max or Nominal Watt	40W
Glass Description	White Etched
Optional Light Kit Available	No

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty



Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Brushed Nickel	402NI7	WHITE ETCHED	CHERRY	WALNUT
Satin Natural Bronze	402SNB	WHITE ETCHED	DARK CHERRY	TEAK
Satin Natural White	402SNW	WHITE ETCHED	SATIN NAT WHITE	SATIN NAT WHITE
Satin Natural Bronze	402SNBU	UMBER ETCHED	DARK CHERRY	TEAK
White	402WH1	WHITE ETCHED	WHITE	WHITE
Matte White	402MWH	WHITE ETCHED	MATTE WHITE	MATTE WHITE

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337010ALM	Fan 4 Speed-Light Dimmer

52" Basics Premier Collection
52 Inch Kichler Basics Premier Ceiling Fan NI7
402NI7 (Brushed Nickel)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Product ID	Descr
337010IV	Fan 4 Speed-Light Dimmer
337010WH	Fan 4 Speed-Light Dimmer
337011ALM	Fan Light Dimmer Control
337011IV	Fan Light Dimmer Control
337011WH	Fan Light Dimmer Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
371042MUL	56K Wall Control System Basic

52" Basics Premier Collection

52 Inch Kichler Basics Premier Ceiling Fan SNB

402SNB (Satin Natural Bronze)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____



Product Information

Product ID	402SNB
Finish	Satin Natural Bronze
Blade Finish	Teak, Cherry
Collection	52" Basics Premier Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	166	4331	74	.49	59
Med	123	3101	91	.38	34
Low	65	1482	131	.22	11

Specifications

Number of Blades	5
Blade Pitch	12 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	.75 OD X 4.00
Downrod 2	FLUSH MOUNT
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, Dual Mount Included
Motor Size	153MM X 13MM
Motor Type	AC

Downlight

Light Source	Incandescent
Max or Nominal Watt	40W
Glass Description	White Etched
Optional Light Kit Available	No

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Brushed Nickel	402NI7	WHITE ETCHED	CHERRY	WALNUT
Satin Natural Bronze	402SNB	WHITE ETCHED	DARK CHERRY	TEAK
Satin Natural White	402SNW	WHITE ETCHED	SATIN NAT WHITE	SATIN NAT WHITE
Satin Natural Bronze	402SNBU	UMBER ETCHED	DARK CHERRY	TEAK
White	402WH1	WHITE ETCHED	WHITE	WHITE
Matte White	402MWH	WHITE ETCHED	MATTE WHITE	MATTE WHITE

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337010ALM	Fan 4 Speed-Light Dimmer

52" Basics Premier Collection
52 Inch Kichler Basics Premier Ceiling Fan SNB
402SNB (Satin Natural Bronze)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Product ID	Descr
337010IV	Fan 4 Speed-Light Dimmer
337010WH	Fan 4 Speed-Light Dimmer
337011ALM	Fan Light Dimmer Control
337011IV	Fan Light Dimmer Control
337011WH	Fan Light Dimmer Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
371042MUL	56K Wall Control System Basic

52" Basics Premier Collection

52 Inch Kichler Basics Premier Ceiling Fan

SNBU

402SNBU (Satin Natural Bronze)

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Brushed Nickel	402NI7	WHITE ETCHED	CHERRY	WALNUT
Satin Natural Bronze	402SNB	WHITE ETCHED	DARK CHERRY	TEAK
Satin Natural White	402SNW	WHITE ETCHED	SATIN NAT WHITE	SATIN NAT WHITE
Satin Natural Bronze	402SNBU	UMBER ETCHED	DARK CHERRY	TEAK
White	402WH1	WHITE ETCHED	WHITE	WHITE
Matte White	402MWH	WHITE ETCHED	MATTE WHITE	MATTE WHITE

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337010ALM	Fan 4 Speed-Light Dimmer
337010IV	Fan 4 Speed-Light Dimmer
337010WH	Fan 4 Speed-Light Dimmer
337011ALM	Fan Light Dimmer Control
337011IV	Fan Light Dimmer Control
337011WH	Fan Light Dimmer Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
371042MUL	56K Wall Control System Basic

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Product Information

Product ID	402SNBU
Finish	Satin Natural Bronze
Blade Finish	Teak / Cherry
Collection	52" Basics Premier Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	166	4331	74	.49	59
Med	123	3101	91	.38	34
Low	65	1482	131	.22	11

Specifications

Number of Blades	5
Blade Pitch	12 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	.75 OD X 4.00
Downrod 2	FLUSH MOUNT
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, Dual Mount Included
Motor Size	153MM X 13MM
Motor Type	AC

Downlight

Light Source	Incandescent
Max or Nominal Watt	40W
Glass Description	Umber Etched
Optional Light Kit Available	No

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty

52" Basics Premier Collection

52 Inch Kichler Basics Premier Ceiling Fan SNW

402SNW (Satin Natural White)

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Product Information

Product ID	402SNW
Finish	Satin Natural White
Blade Finish	Satin Natural White,Satin Natural White
Collection	52" Basics Premier Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	166	4331	74	.49	59
Med	123	3101	91	.38	34
Low	65	1482	131	.22	11

Specifications

Number of Blades	5
Blade Pitch	12 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	.75 OD X 4.00
Downrod 2	FLUSH MOUNT
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, Dual Mount Included
Motor Size	153MM X 13MM
Motor Type	AC

Downlight

Light Source	Incandescent
Max or Nominal Watt	40W
Glass Description	White Etched
Optional Light Kit Available	No

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty



Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Brushed Nickel	402NI7	WHITE ETCHED	CHERRY	WALNUT
Satin Natural Bronze	402SNB	WHITE ETCHED	DARK CHERRY	TEAK
Satin Natural White	402SNW	WHITE ETCHED	SATIN NAT WHITE	SATIN NAT WHITE
Satin Natural Bronze	402SNBU	UMBER ETCHED	DARK CHERRY	TEAK
White	402WH1	WHITE ETCHED	WHITE	WHITE
Matte White	402MWH	WHITE ETCHED	MATTE WHITE	MATTE WHITE

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337010ALM	Fan 4 Speed-Light Dimmer

52" Basics Premier Collection
52 Inch Kichler Basics Premier Ceiling Fan SNW
402SNW (Satin Natural White)

Project Name: _____
Location: _____
Type: _____
Qty: _____
Comments: _____

Product ID	Descr
337010IV	Fan 4 Speed-Light Dimmer
337010WH	Fan 4 Speed-Light Dimmer
337011ALM	Fan Light Dimmer Control
337011IV	Fan Light Dimmer Control
337011WH	Fan Light Dimmer Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
371042MUL	56K Wall Control System Basic

52" Basics Premier Collection

52 Inch Kichler Basics Premier Ceiling Fan - WH1

402WH1

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Brushed Nickel	402NI7	WHITE ETCHED	CHERRY	WALNUT
Satin Natural Bronze	402SNB	WHITE ETCHED	DARK CHERRY	TEAK
Satin Natural White	402SNW	WHITE ETCHED	SATIN NAT WHITE	SATIN NAT WHITE
Satin Natural Bronze	402SNBU	UMBER ETCHED	DARK CHERRY	TEAK
White	402WH1	WHITE ETCHED	WHITE	WHITE
Matte White	402MWH	WHITE ETCHED	MATTE WHITE	MATTE WHITE

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337010ALM	Fan 4 Speed-Light Dimmer
337010IV	Fan 4 Speed-Light Dimmer
337010WH	Fan 4 Speed-Light Dimmer
337011ALM	Fan Light Dimmer Control
337011IV	Fan Light Dimmer Control
337011WH	Fan Light Dimmer Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
371042MUL	56K Wall Control System Basic

Project Name: _____

Location: _____

Type: _____

Qty: _____

Comments: _____

Product Information

Product ID	402WH1
Collection	52" Basics Premier Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	166	4331	74	.49	59
Med	123	3101	91	.38	34
Low	65	1482	131	.22	11

Specifications

Number of Blades	5
Blade Pitch	12 Degrees
Blade Sweep	52"
Blades Reversible	Yes
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	.75 OD X 4.00
Downrod 2	FLUSH MOUNT
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, Dual Mount Included
Motor Size	153MM X 13MM
Motor Type	AC

Downlight

Light Source	Incandescent
Max or Nominal Watt	40W
Optional Light Kit Available	No

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty