52" Basics Select Collection52" Basics Select Ceiling Fan MWH403MWH

Project Name: _	
_ocation:	
Туре:	
Qty:	
Comments:	

Product Information

Product ID	403MWH
Blade Finish	Matte White/Matte White
Collection	52" Basics Select Collection

Airflow, Power and Efficiency

<u> </u>					
Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	166	4331	74	.49	59
Med	127	3101	91	.38	34
Low	68	1482	131	.22	11

Specifications


5
Yes
12 Degrees
52"
No
WOOD
No
.75 OD X 4.00
FLUSH MOUNT
Pull Chain
No
No
Yes, Dual Mount Included
78.00"
153MM X 13MM
AC

Downlight

Downlight Included	Yes
Light Source	Incandescent
Downlight Bulb Included	Included
Downlight Bulb Type	B10
Number of Lights/LEDs	3
Max or Nominal Watt	60W
Glass Description	White Etched
Optional Light Kit Available	No



Dimensions



Downrod	Α	В	С	D
.75 OD X 4.00	17.75	10.50	11.00	5.17
FLUSH MOUNT	14.50	7.25	11.00	5.17



52" Basics Select Collection 52" Basics Select Ceiling Fan MWH

403MWH

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Brushed Nickel	403NI7	WHITE ETCHED	LIGHT CHERRY	WALNUT
Satin Natural Bronze	403SNB	WHITE ETCHED	DARK CHERRY	TEAK
Satin Natural White	403SNW	WHITE ETCHED	SATIN NAT WHITE	SATIN NAT WHITE
Satin Natural Bronze	403SNBU	UMBER ETCHED	DARK CHERRY	TEAK
White	403WH	WHITE ETCHED	WHITE	WHITE
Matte White	403MWH	WHITE ETCHED	MATTE WHITE	MATTE WHITE

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337010ALM	Fan 4 Speed-Light Dimmer
337010IV	Fan 4 Speed-Light Dimmer
337010WH	Fan 4 Speed-Light Dimmer
337011ALM	Fan Light Dimmer Control
337011IV	Fan Light Dimmer Control
337011WH	Fan Light Dimmer Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
371042MUL	56K Wall Control System Basic

Project Name:
Location:
Type:
Qty:
Comments:

Safety Lietings & Cartifications

Safety Listings & Certifications		
Safety Rated	Dry	
Warranty	www.kichler.com/warranty	
Installation		
Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""	
Electrical Requirements	120V 60Hz AC	
Hanging Weight	16.4 LBS	
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet	

52" Basics Select Collection52 Inch Kichler Basics Select Ceiling Fan NI7403NI7

Project Name:	
Location:	
Туре:	
Qty:	
Comments:	



Product Information

Product ID	403NI7
Blade Finish	Medium Walnut, Cherry
Collection	52" Basics Select Collection

Airflow, Power and Efficiency

Turnow, I ower and Emerciney					
Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	166	4331	74	.49	59
Med	127	3101	91	.38	34
Low	68	1482	131	.22	11

Specifications

Number of Blades	5
Blade Pitch	12 Degrees
Blade Sweep	52"
Blades Reversible	No
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	.75 OD X 4.00
Downrod 2	FLUSH MOUNT
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, Dual Mount Included
Lead Wire Length	78.00"
Motor Size	153MM X 13MM
Motor Type	AC

Downlight

Hanging Weight

Light Source	Incandescent
Max or Nominal Watt	60W
Glass Description	White Etched
Optional Light Kit Available	No

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty
Installation	

16.40 LBS

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337010ALM	Fan 4 Speed-Light Dimmer
337010IV	Fan 4 Speed-Light Dimmer
337010WH	Fan 4 Speed-Light Dimmer
337011ALM	Fan Light Dimmer Control
337011IV	Fan Light Dimmer Control
337011WH	Fan Light Dimmer Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
371042MUL	56K Wall Control System Basic

Kichler

52" Basics Select Collection52 Inch Kichler Basics Select Ceiling Fan SNB

403SNB (Satin Natural Bronze)



Control Options

Product ID	Descr
337001WH	Universal Remote Control
337010ALM	Fan 4 Speed-Light Dimmer
337010IV	Fan 4 Speed-Light Dimmer
337010WH	Fan 4 Speed-Light Dimmer
337011ALM	Fan Light Dimmer Control
337011IV	Fan Light Dimmer Control
337011WH	Fan Light Dimmer Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
371042MUL	56K Wall Control System Basic

Project Name: _	
Location:	
Туре:	
Qty:	
Comments:	

Product Information

Product ID	403SNB
Finish	Satin Natural Bronze
Blade Finish	Teak,Cherry
Collection	52" Basics Select Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	166	4331	74	.49	59
Med	127	3101	91	.38	34
Low	68	1482	131	.22	11

Specifications

Number of Blades	5
Blade Pitch	12 Degrees
Blade Sweep	52"
Blades Reversible	No
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	.75 OD X 4.00
Downrod 2	FLUSH MOUNT
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, Dual Mount Included
Lead Wire Length	78.00"
Motor Size	153MM X 13MM
Motor Type	AC

Downlight

Light Source	Incandescent
Max or Nominal Watt	60W
Glass Description	White Etched
Optional Light Kit Available	No

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

Hanging Weight 16.40 LBS	
--------------------------	--



7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010 Toll free: 866.558.5706 or kichler.com

Notes

Information provided is subject to change without notice.

All values are design or typical values when measured under laboratory conditions.

Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.



52" Basics Select Collection52 Inch Kichler Basics Select Ceiling Fan - SNBU403SNBU

Project Name:	
Location:	
Туре:	
Qty:	
Comments:	

Product Information

Product ID	403SNBU
Collection	52" Basics Select Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	166	4331	74	.49	59
Med	127	3101	91	.38	34
Low	68	1482	131	.22	11

Specifications

Number of Blades	5
Blade Pitch	12 Degrees
Blade Sweep	52"
Blades Reversible	No
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	.75 OD X 4.00
Downrod 2	FLUSH MOUNT
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, Dual Mount Included
Lead Wire Length	78.00"
Motor Size	153MM X 13MM
Motor Type	AC

Downlight

Light Source	Incandescent
Max or Nominal Watt	60W
Glass Description	Umber Etched Glass
Optional Light Kit Available	No

Safety Listings & Certifications

Safety Rated	Dry
Warranty www.kichler.com/warra	
Installation	
Hanging Weight	16.40 LBS

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337010ALM	Fan 4 Speed-Light Dimmer
337010IV	Fan 4 Speed-Light Dimmer
337010WH	Fan 4 Speed-Light Dimmer
337011ALM	Fan Light Dimmer Control
337011IV	Fan Light Dimmer Control
337011WH	Fan Light Dimmer Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
371042MUL	56K Wall Control System Basic

52" Basics Select Collection52 Inch Kichler Basics Select Ceiling Fan SNW

403SNW (Satin Natural White)



Control Options

Product ID	Descr
337001WH	Universal Remote Control
337010ALM	Fan 4 Speed-Light Dimmer
337010IV	Fan 4 Speed-Light Dimmer
337010WH	Fan 4 Speed-Light Dimmer
337011ALM	Fan Light Dimmer Control
337011IV	Fan Light Dimmer Control
337011WH	Fan Light Dimmer Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
371042MUL	56K Wall Control System Basic

Project Name:	
Location:	
Туре:	
Qty:	
Comments:	

Product Information

Product ID	403SNW
Finish	Satin Natural White
Blade Finish	Satin Natural White,Satin Natural White
Collection	52" Basics Select Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	166	4331	74	.49	59
Med	127	3101	91	.38	34
Low	68	1482	131	.22	11

Specifications

op com com com	
Number of Blades	5
Blade Pitch	12 Degrees
Blade Sweep	52"
Blades Reversible	No
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	.75 OD X 4.00
Downrod 2	FLUSH MOUNT
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, Dual Mount Included
Lead Wire Length	78.00"
Motor Size	153MM X 13MM
Motor Type	AC

Downlight

Light Source	Incandescent
Max or Nominal Watt	60W
Glass Description	White Etched
Optional Light Kit Available	No

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

Hanging Weight	16.40 LBS	
rianging rroigni	10.10 200	



7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010 Toll free: 866.558.5706 or kichler.com

Notes

Information provided is subject to change without notice.

All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.



52" Basics Select Collection52 Inch Kichler Basics Select Ceiling Fan SNW403SNW (Satin Natural White)

Project Name:
Location:
Type:
Qty:
Comments:

Kichler

52" Basics Select Collection52 Inch Kichler Basics Select Ceiling Fan - WH403WH (White)

_	

Product Information

Product ID	403WH
Finish	White
Collection	52" Basics Select Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	166	4331	74	.49	59
Med	127	3101	91	.38	34
Low	68	1482	131	.22	11

Specifications

Number of Blades	5
Blade Pitch	12 Degrees
Blade Sweep	52"
Blades Reversible	No
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	.75 OD X 4.00
Downrod 2	FLUSH MOUNT
Primary Control System	Pull Chain
Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	Yes, Dual Mount Included
Lead Wire Length	78.00"
Motor Size	153MM X 13MM
Motor Type	AC

Downlight

Light Source	Incandescent
Max or Nominal Watt	60W
Optional Light Kit Available	No

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty
Installation	
Hanging Weight	16.40 BS

Control Options

Product ID	Descr
337001WH	Universal Remote Control
337010ALM	Fan 4 Speed-Light Dimmer
337010IV	Fan 4 Speed-Light Dimmer
337010WH	Fan 4 Speed-Light Dimmer
337011ALM	Fan Light Dimmer Control
337011IV	Fan Light Dimmer Control
337011WH	Fan Light Dimmer Control
337012ALM	4 Speed Fan Slide Control
337012IV	4 Speed Fan Slide Control
337012WH	4 Speed Fan Slide Control
337214	Limited Function Cooltouch
370039MUL	Wall Control System L-Function
371042MUL	56K Wall Control System Basic