
SEABURY Concealed Valve Exposed Part MODEL # 19828000





GROHE America, Inc | 200 North Gary Avenue, Suite G, Roselle, IL 60172 Phone: +1 (800) 444-7643 | Fax: +1 (800) 225-2778 | us-customerservice@grohe.com







Product Description: Concealed Valve Exposed Part

Standard Specification:

- For use with Rough-In Valve (29 273) (1/2" NPT) or (29 274) (3/4" NPT)
- GROHE StarLight finish

Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1
- ICC/ANSI A117.1

Color:

□ 19828000 000 chrome


SEABURY Concealed Valve Exposed Part MODEL # 19828EN0





GROHE America, Inc | 200 North Gary Avenue, Suite G, Roselle, IL 60172 Phone: +1 (800) 444-7643 | Fax: +1 (800) 225-2778 | us-customerservice@grohe.com







Product Description: Concealed Valve Exposed Part

Standard Specification:

- For use with Rough-In Valve (29 273) (1/2" NPT) or (29 274) (3/4" NPT)
- GROHE StarLight finish

Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1
- ICC/ANSI A117.1

Color:

□ 19828EN0 EN0 brushed nickel


SEABURY Concealed Valve Exposed Part MODEL # 19828ZB0





GROHE America, Inc | 200 North Gary Avenue, Suite G, Roselle, IL 60172 Phone: +1 (800) 444-7643 | Fax: +1 (800) 225-2778 | us-customerservice@grohe.com







Product Description: Concealed Valve Exposed Part

Standard Specification:

- For use with Rough-In Valve (29 273) (1/2" NPT) or (29 274) (3/4" NPT)
- GROHE StarLight finish

Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1
- ICC/ANSI A117.1

Color:

□ 19828ZB0 ZB0 oil rubbed bronze