

GROHOTHERM 2000 AUTHENTIC


Dual function pressure balance trim with control module

MODEL # 19844000

Pure Freude an Wasser



GROHE America, Inc | 200 North Gary Avenue, Suite G, Roselle, IL 60172
Phone: +1 (800) 444-7643 | Fax: +1 (800) 225-2778 | us-customerservice@grohe.com



ADA

Product Description:

Dual function pressure balance trim with control module

Standard Specification:


- For shower/tubs with non-diverter tub spout or for 2 shower outlet applications
- Integrated volume control
- 2-way diverter function
- 1 axis operation
- Requires GrohFlex™ universal rough-in box (35 026 000) (sold separately)
- **GROHE SilkMove**
- **GROHE StarLight** finish
- 5.3 gpm at 45 psi (bottom outlet)
- 2.9 gpm at 45 psi (top outlet)

Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1
- ICC/ANSI A117.1

Color:

□ 19844000 000 chrome



GROHOTHERM 2000 AUTHENTIC


Dual function pressure balance trim with control module

MODEL # 19844BE0

Pure Freude an Wasser



GROHE America, Inc | 200 North Gary Avenue, Suite G, Roselle, IL 60172
Phone: +1 (800) 444-7643 | Fax: +1 (800) 225-2778 | us-customerservice@grohe.com



ADA

Product Description:

Dual function pressure balance trim with control module

Standard Specification:


- For shower/tubs with non-diverter tub spout or for 2 shower outlet applications
- Integrated volume control
- 2-way diverter function
- 1 axis operation
- Requires GrohFlex™ universal rough-in box (35 026 000) (sold separately)
- **GROHE SilkMove**
- **GROHE StarLight** finish
- 5.3 gpm at 45 psi (bottom outlet)
- 2.9 gpm at 45 psi (top outlet)

Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1
- ICC/ANSI A117.1

Color:

□ 19844BE0 BE0 sterling / brilliant nickel



GROHTherm 2000 Authentic


Dual function pressure balance trim with control module

MODEL # 19844EN0

Pure Freude an Wasser



GROHE America, Inc | 200 North Gary Avenue, Suite G, Roselle, IL 60172
Phone: +1 (800) 444-7643 | Fax: +1 (800) 225-2778 | us-customerservice@grohe.com



ADA

Product Description:

Dual function pressure balance trim with control module

Standard Specification:


- For shower/tubs with non-diverter tub spout or for 2 shower outlet applications
- Integrated volume control
- 2-way diverter function
- 1 axis operation
- Requires GrohFlex™ universal rough-in box (35 026 000) (sold separately)
- **GROHE SilkMove**
- **GROHE StarLight** finish
- 5.3 gpm at 45 psi (bottom outlet)
- 2.9 gpm at 45 psi (top outlet)

Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1
- ICC/ANSI A117.1

Color:

□ 19844EN0 EN0 brushed nickel



GROHTherm 2000 Authentic


Dual function pressure balance trim with control module

MODEL # 19844ZB0

Pure Freude an Wasser



GROHE America, Inc | 200 North Gary Avenue, Suite G, Roselle, IL 60172
Phone: +1 (800) 444-7643 | Fax: +1 (800) 225-2778 | us-customerservice@grohe.com



ADA

Product Description:

Dual function pressure balance trim with control module

Standard Specification:

- For shower/tubs with non-diverter tub spout or for 2 shower outlet applications
- Integrated volume control
- 2-way diverter function
- 1 axis operation
- Requires GrohFlex™ universal rough-in box (35 026 000) (sold separately)
- **GROHE SilkMove**
- **GROHE StarLight** finish
- 5.3 gpm at 45 psi (bottom outlet)
- 2.9 gpm at 45 psi (top outlet)

Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1
- ICC/ANSI A117.1

Color:

□ 19844ZB0 ZB0 oil rubbed bronze

