


RAINSHOWER RUSTIC 210

MODEL # 28375000

GROHE CANADA, INC. | 5900 Avebury Road, Mississauga, Ontario, Canada L5R 3M3
Phone: 905-271-2929 | Fax: 905-271-9494 | info@grohe.ca

Pure Freude
an Wasser

GROHE



Product Description:

Standard Specification:

normal (wide) spray **starting at 0.5 bar**
flow pressure
Ø 210 mm
brass
ball joint with turning angle $20^\circ \pm 20^\circ$
connection thread 1/2"


- GROHE EcoJoy
- GROHE StarLight** chrome finish
SpeedClean anti-lime system

Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1

Color:

- 28375000 000 chrome




RAINSHOWER RUSTIC 210

MODEL # 28375BE0

GROHE CANADA, INC. | 5900 Avebury Road, Mississauga, Ontario, Canada L5R 3M3
Phone: 905-271-2929 | Fax: 905-271-9494 | info@grohe.ca

Pure Freude
an Wasser

GROHE



Product Description:

Standard Specification:

normal (wide) spray **starting at 0.5 bar**
flow pressure
Ø 210 mm
brass
ball joint with turning angle $20^\circ \pm 20^\circ$
connection thread 1/2"


- GROHE EcoJoy
- GROHE StarLight** chrome finish
SpeedClean anti-lime system

Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1

Color:

- 28375BE0 BE0 sterling / brilliant nickel




RAINSHOWER RUSTIC 210

MODEL # 28375EN0

GROHE CANADA, INC. | 5900 Avebury Road, Mississauga, Ontario, Canada L5R 3M3
Phone: 905-271-2929 | Fax: 905-271-9494 | info@grohe.ca

Pure Freude
an Wasser

GROHE



Product Description:

Standard Specification:

normal (wide) spray **starting at 0.5 bar**
flow pressure
Ø 210 mm
brass
ball joint with turning angle $20^\circ \pm 20^\circ$
connection thread 1/2"


- GROHE EcoJoy
- GROHE StarLight** chrome finish
SpeedClean anti-lime system

Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1

Color:

- 28375EN0 EN0 brushed nickel




RAINSHOWER RUSTIC 210

MODEL # 28375ZB0

GROHE CANADA, INC. | 5900 Avebury Road, Mississauga, Ontario, Canada L5R 3M3
Phone: 905-271-2929 | Fax: 905-271-9494 | info@grohe.ca

Pure Freude
an Wasser

GROHE



Product Description:

Standard Specification:

normal (wide) spray **starting at 0.5 bar**
flow pressure
Ø 210 mm
brass
ball joint with turning angle $20^\circ \pm 20^\circ$
connection thread 1/2"

- GROHE EcoJoy
- GROHE StarLight** chrome finish
SpeedClean anti-lime system

Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1

Color:

- 28375ZB0 ZB0 oil rubbed bronze

